

UVR

AM Plus Series 1080P_{Lite}

UVR7TAA04AMPlus-D54G	29,200,000 IR
UVR7TAA08AMPlus-D58G	39,700,000 IR
UVR7TCA16AMPlus-D5C6	68,000,000 IR

AH Series 5MP_{Lite}

UVR7TAA04AH-D14G	39,500,000 IR
UVR7TAB08AH-D18A	62,000,000 IR
UVR7TCG16AH-G1C5	136,000,000 IR

H Series 5MP_{Lite}

UVR7TAA04H-D54G	38,300,000 IR
UVR7TCA08H-D58G	59,600,000 IR
UVR7THB16H-D5C8	120,000,000 IR
UVR7THB16H-G1C5	130,000,000 IR

RQ & Q Series 8MP

UVR7TCA04RQ-D149	72,000,000 IR
UVR7TCG08RQ-D189	110,000,000 IR



AM Plus Series ^{1080P Lite}

1. UVR7TAA04AMPlus-D54G



H.265+ 4ch 1080P Lite 15fps 5 in1 UVR
4ch 1080P Lite 15fps Recording/ 4ch Playback
Video I/O: 4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion , **Deterrence Support**
4ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream Lock Files . Multi Cast



29,200,000 IR

2. UVR7TAA08AMPlus-D58G



H.265+ 8ch 1080P Lite 12fps 5 in1 UVR
8ch 1080P Lite 12fps Recording/ 8ch Playback
Video I/O: 8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
4ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream . Lock Files . Multi Cast



39,700,000 IR

3. UVR7TCA16AMPlus-D5C6



H.265+ 16ch 1080P Lite 12fps 5 in1 UVR
16ch 1080P Lite 12fps Recording/ 16ch Playback
Video I/O: 16/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
8ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream . Lock Files . Multi Cast



68,000,000 IR

H Series ^{5MP Lite}

4. UVR7TAA04H-D54G



H.265+ 4CH 5MP Lite@ 12fps UVR
4ch 5MP Lite@12fps Recording/4ch Playback
4ch 1080P@15fps Recording/4ch Playback
Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



38,300,000 IR

5. UVR7TCA08H-D58G



H.265+ 8CH 5MP Lite@ 12fps UVR
4ch 5MP Lite@12fps Recording/4ch Playback
4ch 1080P@15fps Recording/4ch Playback
Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8 T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage Line Crossing . Area Intrusion
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



59,600,000 IR



6. UVR7THB16H-D5C8



H.265+ 16CH 5MP Lite@12fps UVR
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback
Video I/O: 16/ 1; Audio I/O: 4/ 1; HDMI,VGA,CVBS,
SATA*1(8T HDD), 3G/4G, WIFI, PTZ ,USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Line Crossing . Area Intrusion . Region Entrance . Region Existing
Fast Moving .Unattended Object . Object Missing .
Face Detection, Cloud Storage & Upgrade .
Smart Playback .Multi Cast. Extra 4CH IP, Dimension:250(W)x230(D)x45(H)mm



120,000,000 IR

7. UVR7THB16H-G1C5



H.265+ 16CH 5MP Lite@12fps UVR
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback
Video I/O: 16/ 1; Audio I/O: 4/ 1; Alarm I/O: 4/ 1,HDMI,VGA,CVBS,
SATA*2(8T HDD), 3G/4G, WIFI, PTZ USB Mouse, DC12V/4A Adapter
Mic Support in Coaxial Mode
Line Crossing . Area Intrusion . Region Entrance
Region Existing Fast Moving . Unattended Object . Object Missing .
Face Detection, Cloud Storage & Upgrade , Smart Playback
Multi Cast , Extra 4CH IP, Dimension:326(W)x243(D)x52(H)mm



130,000,000 IR

AH Series 5MP Lite

8. UVR7TAA04AH-D14G



H.265+ 4ch 5MP Lite@12fps UVR
4CH 5M Lite@12fps/4M Lite@15fps/1080P@15fps Recording/4ch Playback
Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing , Area Intrusion ,**Face detection**
SMD based on Human and Vehicle , PP
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



39,500,000 IR

9. UVR7TAB08AH-D18A



H.265+ 8CH 5MP Lite@ 15fps UVR
8CH 5M Lite@15fps/4M Lite@15fps/1080P@15fps Recording/8ch Playback
Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
(Line Crossing , Area Intrusion , Face detection , SMD based on Human and Vehicle , PP) Optional
Extra 2CH IP . Event Stream . Lock Files . Multi Cast,



62,000,000 IR

10. UVR7TCG16AH-G1C5



H.265+ 16CH 5MP Lite@ 12fps UVR
16ch 5MP Lite@12fps; 16ch 4MP Lite/1080P@15fps Recording/16ch Playback
Video I/O:16/ 1; Audio I/O: 4/ 1; **Alarm I/O: 4/ 1**,HDMI,VGA,CVBS,SATA*2(8TB HDD)
3G/4G, WIFI,USB Mouse, DC12V/4A Adapter /1;**RS485**
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing , Area Intrusion , Face detection , 16CH SMD based on Human and Vehicle , PP
Extra 8CH IP . Event Stream . Lock Files . Multi Cast,



136,000,000 IR



RQ & Q Series ^{8MP}

11. UVR7TCA04RQ-D149



H.265+ 4CH **8MP** 5 in 1 UVR
4ch 8MP 7fps Recording / 1ch Playback 4ch 5MP 12fps Recording /
4ch Playback 4ch 8MP Lite 15fps Recording / 4ch Playback Video I/O:4/ 1; Audio 4/ 1
HDMI, VGA, CVBS, SATA*1(10T HDD), 3G/4G, WIFI, PTZ DC
12V/2A Adaptor Event Stream . Lock Files . Multicast Human Body Detection
Smart Playback . Cloud Update . Cloud Storage . USB Mouse
Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving .
Unattended Object . Object Missing . **Face Detection**
Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



12. UVR7TCG08RQ-D189



H.265+ 8CH **8MP** 5 in 1 UVR
8ch 8MP 7fps Recording / 4ch Playback
8ch 5MP 12fps Recording / 8ch Playback
4ch 8MP Lite 15fps Recording / 8ch Playback
Video I/O:8/ 1; Audio 4/ **1;RS485**
HDMI, VGA, CVBS, SATA*1(10T HDD), 3G/4G, WIFI, PTZ
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



2MP

Bullet Fixed

UVC231B1AR-L	12,000,000 IR
UVC222B1AM-M	13,000,000 IR
UVC78B29R	13,000,000 IR
UVC222B49M-MC	15,250,000 IR
UVC232B1AR-MC (2.8mm)	15,000,000 IR
UVC232B59R-MC(3.6mm)	15,500,000 IR
UVC78B29 (2.8mm)	15,500,000 IR
UVC221B59M (2.8mm)	15,500,000 IR
UVC222B59M-M(2.8mm)	16,500,000 IR

Bullet Varifocal

UVC85C29	19,000,000 IR
----------	---------------

Dome Varifocal

UVC85E97	19,000,000 IR
----------	---------------

Dome Motorized

UVC64C59Z	40,000,000 IR
-----------	---------------

Dome Fixed

UVC231T9ARL	12,000,000 IR
UVC222T9AR-M(2.8mm)	13,000,000 IR
UVC232T9AR-MC(2.8mm)	14,900,000 IR
UVC64T9A	17,000,000 IR



5MP

Bullet Fixed

UVC531B19M(2.8mm)	14,000,000 IR
UVC532B49M(2.8mm)	16,000,000 IR
UVC522B49M-M(2.8mm)	16,500,000 IR
UVC522B49M-MC(2.8mm)	19,000,000 IR
UVC532B1AR-MC(2.8mm)	19,900,000 IR
UVC532B59R-MC(3.6mm)	19,900,000 IR
UVC522B59M(2.8mm)	21,500,000 IR
UVC522B59M-M(2.8mm)	22,000,000 IR

Bullet Varifocal

UVC532C59M	28,000,000 IR
------------	---------------

Dome Varifocal

UVC83E97	23,000,000 IR
----------	---------------

Dome Fixed

UVC532T43P-M(2.8mm)	12,000,000 IR
UVC522T45P-MC(2.8mm)	15,400,000 IR
UVC522T9AR-M(2.8mm)	16,900,000 IR
UVC532T9AR-MC(2.8mm)	19,000,000 IR



1. UVC231B1AR-L



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED + 1pcs **White light**
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: C65.5X183mm
Gross Weight: 220g



12,000,000 IR

2. UVC222B1AM-M



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs SMD LED
IR range up to 30M
(3.6mm , 4.0mm Lens) Optional
Weather Resistance : IP67

Size: C68X172.3mm

Metal Housing
Gross Weight: 400g



13,000,000 IR

3. UVC78B29R



1/ 2.9" CMOS Sensor/2MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
4pcs SMD LED
IR range up to 40M
3.6mm Lens
Weather Resistance : IP66

Metal + Plastic Housing
Size: C235X83X72.7mm
Gross Weight: 520g



13,000,000 IR

4. UVC222B49M-MC



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
IR range up to 30M
(2.8mm , 3.6mm Lens) Optional F1.6
Weather Resistance : IP67

Metal Housing
Size: Ø68x153mm
Gross Weight: 300g



15,250,000 IR

5. UVC232B1AR-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: C68X153mm
Gross Weight: 280g



15,000,000 IR

6. UVC232B59R1-MC (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
IR range up to 50M
3.6mm Lens, F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: Ø83.1x73.1x227.6 mm
Gross Weight: 320g



15,500,000 IR



7. UVC78B29 (2.8mm)



1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
30pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP66

Metal Housing
Size: c67X211mm

Gross Weight: 720g



15,500,000 IR

8. UVC221B59M (2.8mm)



1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
3Pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP67

Metal Housing
Size: c68X172.3mm

Gross Weight: 400g



15,500,000 IR

9. UVC222B59M-M (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
3Pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP67

Metal Housing
Size: Ø83.1×73.1×235.7 mm

Gross Weight: 700g



16,500,000 IR

10. UVC231T9AR-L



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs SMD LED + 1pcs White light
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: c 102 x 82.4(H) mm

Gross Weight: 205g



12,000,000 IR

11. UVC222T9AR-M (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera, **Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: c102 x 82.4(H) mm

Gross Weight: 220g



13,000,000 IR

12. UVC232T9AR-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera, **Built in Mic**
2pcs Warm light
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Plastic+Metal Housing
Size: c102 x 82.4(H) mm

Gross Weight: 220g



14,900,000 IR



13. UVC64T9A



1/ 2.9" Sony CMOS Sensor
2MP@25/30fps
IRCUT, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Super Starlight
Fixed Dome Camera
2pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance : IP67

Metal Housing
Size: c 102X82.4mm
Gross Weight: 350g



17,000,000 IR

14. UVC85C29



1/ 2.9" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Bullet Camera
30pcs SMD LED
IR range up to 50M
2.8-12mm Varifocal Lens
Weather Resistance : IP66

Metal Housing
Size: c 67 x 211 mm
Gross Weight: 720g



19,000,000 IR

15. UVC85E97



1/ 2.9" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Dome Camera
24 pcs SMD LED
IR range up to 40M
2.8-12mm Varifocal Lens
Weather Resistance : IP66
650g

Metal Housing
Size: c 120*108mm
Gross Weight:



19,000,000 IR

16. UVC64C59Z



1/ 2.8" Sony CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Super Starlight
Motorized Bullet Camera
3 pcs SMD LED
IR range up to 50M
2.8-12mm Motorized Lens
Weather Resistance : IP67

Metal Housing
Size: Ø235*83×72.7mm
Gross Weight: 700g



40,000,000 IR



17. UVC531B19M

(2.8mm)



1/ 2.5" CMOS Sensor
5MP@20fps
IRCUT, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
18pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP66

Metal Housing
Size: c152 x 67.5 mm

Gross Weight: 270g



14,000,000 IR

18. UVC532B49M

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Metal Housing
Size: c68X153mm

Gross Weight: 300g



16,000,000 IR

19. UVC522B49M-M

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera, **Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal Housing
Size: c68X153mm


Gross Weight: 300g



16,500,000 IR

20. UVC522B49M-MC

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC, DWDR, **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera, **Built in Mic**
2pcs Warmlight,
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal Housing
Size: c68X153mm

Gross Weight: 300g



19,000,000 IR

21. UVC532B1AR-MC

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC, DWDR, **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera, **Built in Mic**
2pcs Warmlight,
IR range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: c66X175.3mm

Gross Weight: 280g



19,900,000 IR

22. UVC532B59R-MC

(3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC, DWDR, **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera, **Built in Mic**
2pcs Warmlight,
IR range up to 50M
3.6mm Lens, F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: Ø83.1x73.1x227.6 mm

Gross Weight: 320g



19,900,000 IR



23. UVC522B59M (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
3pcs SMD LED
IR range up to 50M
2.8mm
Weather Resistance : IP66

Metal Housing
Size: 235×83×72.7mm

Gross Weight: 700g



21,500,000 IR

24. UVC522B59M-M (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
3pcs SMD LED
IR range up to 50M
2.8mm , F 1.6
Weather Resistance : IP67

Metal Housing
Size: Ø83.1×73.1×235.7 mm

Gross Weight: 700g



22,000,000 IR

25. UVC532T43P-M (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Lens
Weather Resistance : IP65

Plastic Housing
Size: c96.8X85.5mm

Gross Weight: 120g



12,000,000 IR

26. UVC522T45P-MC (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR , **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
2pcs Warmlight,
IR range up to 25M
2.8mm Lens,F1.6
Weather Resistance : IP65

Plastic Housing
Size: c96.8X85.5mm

Gross Weight: 120g



15,400,000 IR

27. UVC522T9AR-M (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Metal+Plastic Housing
Size: 102×82.4×72.7mm

Gross Weight: 205g



16,900,000 IR

28. UVC532T9AR-MC (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR , **Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
2pcs Warmlight,
IR range up to 30M
2.8mm Lens,F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: c102X82.4mm

Gross Weight: 205g



19,000,000 IR



29. UVC532C59M



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Bullet Camera
3pcs SMD LED,
IR range up to 50M
3.3-12mm Varifocal Lens
Weather Resistance : IP67

Metal Housing
Size: c235X83X72.7mm

Gross Weight: 700g



28,000,000 IR

30. UVC83E97



1/ 2.5" CMOS Sensor
5MP@20fps
IRCUT, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Dome Camera
24pcs SMD LED
IR range up to 40M
3.3-12mm Varifocal Lens
Weather Resistance : IP66

Metal Housing
Size: c120X108mm

Gross Weight: 650g



23,000,000 IR

