

Hi-tech products price list

Product image	Model	Description	Price
	HIB-5514	<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m IR lenth • DWDR • ONVIF • Metal • 12V-2A 	1,569,000
 	HIB-4418-WAN	<ul style="list-style-type: none"> • 4 MP • 3.6 mm -5 MP/YTOT • 4083 GALAXY CORE-HS • 25 fps@4M • 25m warm light lenth • DWDR • ONVIF, Internal MIC • Metal • 12V-2A 	Unavalible
 	HIB-4484-WA	<ul style="list-style-type: none"> • 4 MP • 3.6 mm -5 MP/YTOT • 4083 GALAXY CORE-HS • 25 fps@4M • 25m warm light lenth • DWDR • ONVIF, Internal MIC,POE • Metal • 12V-2A 	Unavalible
 	HIB-4448-WAN	<ul style="list-style-type: none"> • 4 MP • 3.6 mm -5 MP/YTOT • 4083 GALAXY CORE-HS • 25 fps@4M • 25m warm light lenth • DWDR • ONVIF, Internal MIC • Metal • 12V-2A 	1,450,000

		HIB-4456-WA	<ul style="list-style-type: none"> • 4 MP • 3.6 mm -5 MP/YTOT • 4083 GALAXY CORE-HS • 25 fps@4M • 25m warm light lenght • DWDR • ONVIF, Internal MIC,POE • Metal • 12V-2A 	1,520,000
		HIB-5556-WA	<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF/ Internal MIC / POE • Metal • 12V-2A 	Unavailable
		HIB-5518-WAN	<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF/ Internal MIC • Metal • 12V-2A 	1,820,000
		HIB-5587-WA	<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF/ Internal MIC • Metal • 12V-2A 	1,995,000
		HIB-5575-WA	<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 35m warm light lenght • DWDR • ONVIF / Internal MIC /POE • Metal • Big Case • 12V-2A 	2,395,000



HIB-5775-WA



- 5 MP
- 3.6 mm -5 MP/YTOT
- Chip: Mstar
- 25 fps@5M
- 35m warm light lenth
- DWDR
- ONVIF / **Internal MIC /POE**
- Metal
- **Big Case**
- 12V-2A

(project oriented)

CALL



HIB-5760-WA



- 5 MP
- 3.6 mm -5 MP/YTOT
- Chip: Mstar
- 25 fps@5M
- 35m warm light lenth
- DWDR
- ONVIF / **Internal MIC /POE**
- Metal
- **Big Case**
- 12V-2A

(project oriented)

CALL



HT-5566

- 5 MP
- **2.8-12 mm -5 MP/YTOT**
- 5053 GALAXY CORE-**HS**
- 25 fps@5M
- 35m IR Lenth
- DWDR
- ONVIF/**POE**
- Metal
- **Big Case**
- 12V-2A

2,995,000



HIB-5575-ZWA



- 5 MP
- **2.7-13.5 mm (Motorized) 5 MP**
- 5053 GALAXY CORE - **HS**
- 25 fps@5M
- 35m warm light lenth
- DWDR
- ONVIF / **Internal MIC**
- Metal
- **Big Case**
- 12V-2A

3,860,000

+
اسپيليتر
poe
↓

4,095,000



starlight™

HIB-5356WN-2.8

Full-color

- 5 MP
- 2.8 mm -5 MP/ **Starlight**
- 335 **SONY**
- 25 fps@5M
- 25m warm light lenth
- DWDR
- ONVIF
- Metal
- 12V-2A

2,365,000



starlight™

HIB-5315-WA

Full-color

- 5 MP
- 3.6 mm -5 MP/ **Starlight**
- 335 **SONY**
- 25 fps@5M
- 25m warm light lenth
- DWDR
- ONVIF / **Internal MIC/POE**
- Metal
- 12V-2A

2,700,000



starlight™

HIB-5387-WA

Full-color

- 5 MP
- 3.6 mm -5 MP/ **Starlight**
- 335 **SONY**
- 25 fps@5M
- 25m warm light lenth
- DWDR
- ONVIF / **Internal MIC/POE**
- Metal
- 12V-2A

Unavalible



starlight™

HIB-5360-WA

Full-color

- 5 MP
- 3.6 mm -5 MP/ **Starlight**
- 335 **SONY**
- 25 fps@5M
- 35m warm light lenth
- DWDR
- ONVIF / **Internal MIC/POE**
- Metal
- **Big Case**
- 12V-2A

3,129,000



starlight™

HIB-8875-WA

Full-color

- 8 MP
- 3.6 mm - 5MP/ **Starlight**
- **IMX415 SONY- HS**
- 30 fps@4K
- 35m warm light lenth
- DWDR
- ONVIF/ **Internal MIC/POE**
- Metal
- **Big Case**
- 12V-2A

3,730,000

	<p>HIB-8848-WA</p> <p>Full-color</p>	<ul style="list-style-type: none"> • 8 MP • 3.6 mm - 5MP/ Starlight • IMX415 SONY- HS • 30 fps@4K • 35m warm light lenght • DWDR • ONVIF/ Internal MIC/POE • Metal • 12V-2A 	<p>3,260,000</p>
	<p></p> <p>starlight™</p> <p>HIB-8860-WA</p> <p>Full-color</p>	<ul style="list-style-type: none"> • 8 MP • 3.6 mm - 5MP/ Starlight • IMX415 SONY- HS • 30 fps@4K • 35m warm light lenght • DWDR • ONVIF/ Internal MIC/POE • Metal • Big Case • 12V-2A 	<p>Unavailable</p>
	<p></p> <p>HID-4405-WAN</p> <p>Full-color</p>	<ul style="list-style-type: none"> • 4 MP • 3.6 mm -5 MP/YTOT • 4083 GALAXY CORE-HS • 25 fps@4M • 25m warm light lenght • DWDR • ONVIF, Internal MIC • Plastic • 12V-2A 	<p>1,200,000</p>
	<p></p> <p>HID-4403-WAN</p> <p>Full-color</p>	<ul style="list-style-type: none"> • 4 MP • 3.6 mm -5 MP/YTOT • 4083 GALAXY CORE-HS • 25 fps@4M • 25m warm light lenght • DWDR • ONVIF, Internal MIC • Metal • 12V-2A 	<p>1,368,000</p>
	<p></p> <p>HID-5504-WA</p> <p>Full-color</p>	<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF/ Internal MIC /POE • Plastic • 12V-2A 	<p>Unavailable</p>

		HID-5503-WA-2.8		<ul style="list-style-type: none"> • 5 MP • 2.8 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF , Internal MIC, POE • Metal • 12V-2A 	1,975,000
	HID-5503-WA		<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF, Internal MIC, POE • Metal • 12V-2A 	1,865,000	
		HID-5505-WAN		<ul style="list-style-type: none"> • 5 MP • 3.6 mm -5 MP/YTOT • 5053 GALAXY CORE-HS • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF/ Internal MIC • Plastic • 12V-2A 	1,490,000
	HID-5303-W2.8		<ul style="list-style-type: none"> • 5 MP • 2.8 mm -5 MP/ Starlight • 335 SONY • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF /POE • Metal • 12V-2A 	2,595,000	
		HID-5303-WA-2.8		<ul style="list-style-type: none"> • 5 MP • 2.8 mm -5 MP/ Starlight • 335 SONY • 25 fps@5M • 25m warm light lenght • DWDR • ONVIF / Internal MIC /POE • Metal • 12V-2A 	Unavalible

	HNR-1088	 XMEye	<ul style="list-style-type: none">• XM• Perview : 10*4K• Recording :4K/5M/3M/960P• H265/H264• Hard drive 14T (1 Port)• Xmeye• ONVIF	2,498,000
	HNR-1688	 XMEye	<ul style="list-style-type: none">• XM• Perview : 16*4K• Recording: 4K/5M/4M/1080P• H265/H264• Hard drive 14T (1 Port)• Xmeye• ONVIF	2,950,000
	HNR-3288	 XMEye	<ul style="list-style-type: none">• Hisilicon• Perview : 36*4K• Recording:4K/5M/4M/3M/1080P• H265/H264• Hard drive 14T (1 Port)• Xmeye• ONVIF	Unavailable
