

Briton

لیست قیمت محصولات

BECO برایتون

مرداد ماه ۱۴۰۳



AHD Camera

UVR

EMB Series 1080P_{Lite}


UVR-A04EMB-D74G	21,500,000 IR
UVRA08EMB-D78G	27,000,000 IR

EHB Series 5MP_{Lite}

UVR-C04EHB-D74G	24,600,000 IR
UVR-C08EHB-D78G	33,000,000 IR
UVR-F16EHB-D7C6	CALL

EMB Series 1080P^{Lite}

1. UVR-A04EMB-D74G




H.265+ 4ch 1080P Lite 5 in 1 UVR
4 Ch 15fps Recording / 4CH Playback
Video I/O 4 / 1; Audio 1 / 1
HDMI / VGA / CVBS/ SATA 1*(8T HDD) 3G/4G, WIFI
USB mouse, DC 12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback, Cloud Update, Cloud Storage,
lock Files , multicast
Extra 2CH IP



21,500,000 IR

2. UVR-A08EMB-D78G



H.265+ 8ch 1080P Lite 5 in 1 UVR
8 Ch 15fps Recording / 4CH Playback
Video I/O 8 / 1; Audio 1 / 1
HDMI / VGA / CVBS/ SATA 1*(8T HDD) 3G/4G, WIFI
USB mouse, DC 12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback, Cloud Update, Cloud Storage
lock Files , multicast



27,000,000 IR

EHB Series 5MP^{Lite}

3. UVR-C04EHB-D74G



H.265+ 4ch 5MP Lite 20fps 5 in 1 UVR
4ch 5MP 20fps Recording/2ch Playback
Video I/O: 4/ 1; Audio: 1 / 1
HDMI,VGA,CVBS,SATA 1*(8T HDD)
USB Mouse,DC12V/2A Adapter
Mic Support in Coaxial Mode.
Smart Playback , Cloud Update . Cloud Storage
Lock Files . Multicast . Event stream
4CH line crossing detection , area Intrusion
4CH Face Detection, 4CH Human Body Detection Extra 2CH IP



24,600,000 IR

4. UVR-C08EHB-D78G



H.265+ 8ch 5MP Lite 12fps 5 in 1 UVR
8ch 5MP 12fps Recording/4ch Playback
Video I/O: 8/ 1; Audio 1 / 1
HDMI,VGA,CVBS,SATA 1*(8T HDD)
USB Mouse,DC12V/2A Adapter
Mic Support in Coaxial Mode.
Smart Playback . Cloud Update . Cloud Storage
Lock Files . Multicast . Event stream
4CH line crossing detection ,area Intrusion
8CH Face Detection, 8CH Human Body Detection



33,000,000 IR

5. UVR-F16EHB-D7C6



H.265+ 16ch 5MP Lite 12fps 5 in 1 UVR
8CH 5MP Lite@7fps , 8CH 4MP Lite@9fps, 16CH 1080P Lite@12fps Recording
16ch Playback , Video I/O: 16/ 1; Audio 1 / 1
HDMI,VGA,CVBS,SATA 1*(8T HDD)
USB Mouse,DC12V/2A Adapter
Mic Support in Coaxial Mode.
Smart Playback . Cloud Update . Cloud Storage
Lock Files . Multicast . Event stream
4CH line crossing detection , intrusion detection
8CH Face Detection , 8CH Human Detection



CALL

2MP

Bullet Fixed

UVC-211B19P	8,250,000 IR
UVC-211B19P-C	8,800,000 IR
UVC-211B19M	9,700,000 IR
UVC-211B19M-C	10,080,000 IR

Dome Fixed

UVC-211T43P	8,000,000 IR
UVC-212T43P-M	8,350,000 IR
UVC-212T45P-M(2.8mm)	CALL
UVC-211T43P-C	8,500,000 IR
UVC-212T43P-C	8,700,000 IR
UVC-212T45P-MC(2.8mm)	10,000,000 IR

5MP

Bullet Fixed

UVC-511B19M	12,500,000 IR
UVC-512B19M-C	16,500,000 IR

Dome Fixed

UVC-511T02P	9,500,000 IR
UVC-512T43P	9,800,000 IR
UVC-512T43P-M(2.8mm)	11,300,000 IR
UVC-512T43P-C	11,800,000 IR
UVC-512T45P-MC(2.8mm)	14,000,000 IR
UVC-512T9QR-C(2.8mm)	15,000,000 IR
UVC-512T9QR-C(3.6mm)	15,000,000 IR

1.UVC-211B19P



1/ 3" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
12pcs SMD LED
IR range up to 25M
3.6mm Lens
IP66

Size: 67.5x57.5x152mm Gross Weight: 117g Housing Material: Plastic



8,250,000 IR

2.UVC-211B19P-C



1/ 3" CMOS Sensor
2MP@25/30fps
3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output , Fullcolor
Fixed Bullet Camera
1 PCS Warmlight
IR range up to 25M
3.6mm Lens
IP66

Size: 67.5x57.5x152mm Gross Weight: 117g Housing Material: Plastic



8,800,000 IR

3.UVC-211B19M




1/ 3" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
18pcs SMD LED
IR range up to 30M
3.6mm Lens
IP66

Size: 67.5x57.5x152mm Gross Weight: 270g Housing Material: Metal



9,700,000 IR

4.UVC-211B19M-C



1/ 3" CMOS Sensor/2MP
3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera
1pcs Warm Light, IR range up to 30M
3.6mm Lens
IP66
Gross Weight: 270g

Size: 152x68mm
Housing: Metal



10,080,000 IR

5. UVC-211T43P



1/ 3" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
1pcs SMD LED
IR range up to 25M
3.6mm Lens
IP65
Size: 96.8x85.5mm

Gross Weight: 120 g

Housing Material: Plastic



8,000,000 IR

6. UVC-212T43P-M



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
3.6mm Lens
Weather Resistance : IP65

Plastic Housing


Size: c96.8X85.5mm

Gross Weight: 120g



8,350,000 IR

7. UVC-211T43P-C



1/ 3" CMOS Sensor
2MP@25/30fps
3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Fullcolor**
2 pcs Warm light
IR range up to 25M
3.6mm Lens
IP65
Size: 96.8x85.5mm

Gross Weight: 120 g

Housing Material: Plastic



8,500,000 IR

8. UVC-212T43P-C



1/ 2.9" CMOS Starlight Sensor/2MP
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera
2pcs Warm Light
IR range up to 25M
3.6mm Lens
IP65
Size: c96.8x85.5mm

Gross Weight: 120g

Housing: Plastic



8,700,000 IR

9. UVC-212T45P-M



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Lens
Weather Resistance : IP65

Plastic Housing


Size: c96.8X85.5mm

Gross Weight: 120g



CALL

10. UVC-212T45P-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera, **Built in Mic**
2pcs Warm light
IR range up to 25M
2.8mm Lens, F1.6
Weather Resistance : IP65

Plastic Housing

Size: Ø96.8*85.5mm

Gross Weight: 120g



10,000,000 IR

11. UVC-511B19M



1/ 2.5" CMOS Sensor
5MP@20fps
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
18pcs SMD LED
IR range up to 30M
3.6mm Lens
IP66
Size: $\varnothing 152 \times 67.5 \times 57.5$ (H)mm
Gross Weight: 270g
Housing: Metal



12,500,000 IR

12. UVC-512B19M-C



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera ,Fullcolor
1pcs Warm Light
IR range up to 30M
3.6mm Lens ,F1.6
IP66
Size: $\varnothing 152 \times 67.5 \times 57.5$ (H)mm
Gross Weight: 270g
Housing: Metal



16,500,000 IR

13. UVC-511T02P



1/ 2.5" CMOS Sensor/5MP
IR Cut, 2D/3D DNR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
12pcs SMD LED
IR range up to 30M
3.6mm Lens
IP65
Size: $\varnothing 91.5 \times 77$ (H)mm 5MP
Gross Weight: 130g
Housing: Plastic



9,500,000 IR

14. UVC-512T43P



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
1pcs SMD LED
IR range up to 25M
3.6mm Lens
IP65
Size: $\varnothing 96.8 \times 85.5$ (H)mm
Gross Weight: 120g
Housing: Plastic



9,800,000 IR

15. UVC-512T43P-M



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2D/3D DNR, DWDR, UTC
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Lens , F1.6
IP65
Size: $\varnothing 96.8 \times 85.5$ (H)mm
Gross Weight: 120g
Housing: Plastic




11,300,000 IR

16. UVC-512T43P-C



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2D/3D DNR, DWDR, UTC , **Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs Warm light
IR range up to 25M
3.6mm Lens
IP65
Size: $\varnothing 96.8 \times 85.5$ (H)mm
Gross Weight: 120g
Housing: Plastic



11,800,000IR

17. UVC-512T45P-MC (2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Fullcolor**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera ,**Built in Mic**
2pcs Warmlight,
IR range up to 25M
2.8mm Lens,F1.6
Weather Resistance : IP65

Plastic Housing
Size: ۹6.8X85.5mm

Gross Weight: 120g



18. UVC-512T9QR-C



1/ 2.7" CMOS Sensor
5MP@20fps(**16:9 video output**)
2D/3D DNR, DWDR, UTC , **Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs Warm light
IR range up to 30M
2.8mm Lens , F 1.6
IP67
Size: ۹2 x 88mm

Gross Weight: 205g

Housing: Plastic+Metal



19. UVC-512T9QR-C



1/ 2.7" CMOS Sensor
5MP@20fps(**16:9 video output**)
2D/3D DNR, DWDR, UTC , **Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs Warm light
IR range up to 30M
3.6mm Lens , F 1.6
IP67
Size: ۹2 x 88mm

Gross Weight: 205g

Housing: Plastic+Metal

