

Briton

لیست قیمت محصولات تحت شبکه برای تون

مرداد ماه ۱۴۰۳



IP Camera

8 MP

Bullet Fixed

IPC-6A813B2A-T [CALL](#)

Dome Fixed

IPC-6A813D90-TM [CALL](#)

Bullet Motorized

IPC-6A812C37-TLZ [CALL](#)

Dome Motorized

IPC-6A812E90-TLZ [CALL](#)

Speed dome

IPD-6108Q04-TPZ [CALL](#)

5 MP

Bullet Fixed

IPC-714557B49B-M [CALL](#)

IPC-714557B49B-MC [CALL](#)

IPC-414557B1A-TML [CALL](#)

IPC-414557B1A-TMU [CALL](#)

Dome Fixed

IPC-714557T9AR-M [CALL](#)

IPC-414557D89C-TML [CALL](#)

Bullet Motorized

IPC-414557C2C-TAMLZ [CALL](#)

IPC-6N513C2C-TP(M)LZ [CALL](#)

Dome Motorized

IPC-414557E89C-TAMLZ [CALL](#)

IPC-6N513E89-TP(M)LZ [CALL](#)

Speed dome

IPD-69513Q81-FP [CALL](#)



2MP

Bullet Fixed

IPC-716261B49B-M

CALL

IPC-716261B49B-MC

CALL

IPC-414211B1A-T(M)L

CALL

Dome Fixed

IPC-716261T9AR-M

CALL

IPC-414211D89C-TM(L)

CALL

Dome Varifocal

IPC-715211U9C-ML

CALL

Bullet Motorized

IPC-414211C2C-TA(M)LZ

CALL

IPC-6A212C3C-Z

CALL

Dome Motorized

IPC-714211E89-TMZ

CALL

Speed dome

IPD-6102Q02-TPZ

CALL

IPD-6N25AQ61P-FP

CALL

Joystick

IPACS23SD45

CALL

NVR

NVR-6B16P-N53

CALL

NVR-6CB16P-N53

CALL

NVR-6CB32P-N53-2H

CALL

NVR-6B32EP-W27-4H

CALL

NVR-6B32P-W26-8H


CALL

NVR-6B64P-W26-8H

CALL

8MP

1. IPC-6A813B2A-T



8MP (Sony) Cmos Sensor (1/2.8")
3.6 mm Fixed Lens @F2.0
H.264+(Ultra H.264), H.265+ (Ultra H.265)
30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP
Dual-Core ARM Cortex-A17@1.25 GHz + A7@800 MHz
Support PoE
Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
IP67, IK10, 6KV Surge Protection



2. IPC-6A813D90-TM



8MP (Sony) Cmos Sensor (1/2.8")
3.6 mm Fixed Lens @F1.6, (2.8mm Optional)
Dual-Core ARM Cortex-A17@1.25 GHz + A7@800 MHz
30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP
H.264+(Ultra H.264), H.265+ (Ultra H.265)
Support POE
Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
IP67, IK10, 6KV Surge Protection



3. IPC-6A812C37-TLZ



8MP (Sony) Cmos Sensor (1/2.8")
2.7~13.5 mm @F1.6 Motorized Fast Auto Focus Lens
H.264+(Ultra H.264), H.265+ (Ultra H.265)
30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP
Dual-Core ARM Cortex-A7@900 MHz
Support POE
Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
IP67, IK10, 6KV Surge Protection



4. IPC-6A812E90-TLZ




8MP (Sony) Cmos Sensor (1/2.8")
2.7~13.5 mm @F1.6 Motorized Fast Auto Focus Lens
H.264+(Ultra H.264), H.265+ (Ultra H.265)
30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP
Dual-Core ARM Cortex-A7@900 MHz
Support POE
Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
IP67, IK10, 6KV Surge Protection



5. IPD-6108Q04-TPZ




8MP Starlight (Sony-Japan) Cmos Sensor (1/1.8")
36X Optical Lens (6~216mm)
H.264+(Ultra H.264), H.265+ (Ultra H.265)
Dual-Core ARM Cortex A7@900MHz
Support POE
250~260 m Smart IR SMD
Triple Stream (Code Rate: 32kb-16mb)
IP67, 6KV Surge Protection



5MP

6. IPC-714557B49B-M



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, DWDR&WDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Built-in Mic
Triple Stream, 25fps@5MP, 25fps@4MP, 25 fps@1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Φ 68x153mm Gross Weight: 420g



7. IPC-714557B49B-MC



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, DWDR&WDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Built-in Mic
Triple Stream, 25fps@5MP, 25fps@4MP, 25 fps@1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Φ 68x153mm Gross Weight: 420g



8. IPC-714557T9AR-M



H.265+ 5MP Network Camera, 1/ 2.7" CMOS Sensor
Smart IR, DWDR&WDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Built-in Mic
Triple Stream, 25fps@5MP, 25fps@4MP, 25 fps@1080P
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm@F1.6
IP67, Metal+Plastic Housing, DC12V, Built-in POE
Size: Φ 103.5 x 83.6mm Gross Weight: 330g



9. IPC-414557B1A-TML



H.265+ 5MP Network Camera 1/ 2.7" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
2pcs Array LED/ IR range 30m,Strobe light
Fixed focal Lens , 2.8mm @ F1.6
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , Built in Mic
IP67 , Metal Housing Size: 68x172.3mm Gross Weight: 500g



10. IPC-414557B1A-TMU




H.265+ 5MP Network Camera 1/ 2.7" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
Dual light :2pcs Array LED*2pcs Warm light/ IR range 30m
Fixed focal Lens , 3.6mm
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , Built in Mic
IP67 , Metal Housing Size: 68x172.3mm Gross Weight: 490g



11. IPC-414557D89C-TML



H.265+ 5MP Network Camera 1/ 2.7" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
3pcs Array LED/ IR range 30m,**Strobe light**
Fixed focal Lens , 2.8mm @ F1.6
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , **Built in Mic**
IP67 ,IK10 , Metal Housing Size: Φ 112x87.5mm Gross Weight: 510g



12. IPC-414557C2C-TAMLZ



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR,120db WDR,2D/3D DNR ; **Audio I/O:1/1** ,Mobile Surveillance
5 Smart Functions +**Face detection**
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
4pcs Array LED/ **IR range 50m,Strobe light**
Motorized Lens , 2.7-13.5mm
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , **Built in Mic**
IP67 , Metal Housing Size: 86x215.3mm Gross Weight: 875g



13. IPC-6N513C2C-TP(M)LZ



H.265+ 5MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Audio I/O:1/1, Mobile Surveillance
16 Smart Functions include **Face Detection + People counting**
Triple Stream: 30fps@5MP, 25fps@720P,25/30fps@CIF
Onvif, Profile S, CGI
4pcs Array LED/ **IR range 70m,Strobe light**
Motorized Lens , 2.7-13.5mm
SD Card Support 128GB, Alarm I/O:1/1,DC12V,Built-in POE , **Built in Mic (M)model**
IP67 , Metal Housing , Reset Button Size: 74.5x219mm Gross Weight: 900g



14. IPC-414557E89C-TAMLZ



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR,120db WDR,2D/3D DNR ; **Audio I/O:1/1** ,Mobile Surveillance
5 Smart Functions +**Face detection**
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
4pcs Array LED/ **IR range 50m,Strobe light**
Motorized Lens , 2.7-13.5mm
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , **Built in Mic**
IP67 , Metal Housing Size: Φ142x113.4 mm Gross Weight: 935g



15. IPC-6N513E89C-TP(M)LZ




H.265+ 5MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR , Mobile Surveillance
16 Smart Functions include **Face detection +People Counting**
Triple Stream: 25/30fps@5MP, 25/30fps@1080P,25/30fps@720P,25/30fps@CIF
Onvif2.6, Profile S, CGI
4pcs Array LED/ **IR range 50m,Strobe light**
Motorized Lens , 2.7-13.5mm,F1.6
SD Card Support 128GB, Alarm I/O:1/1,DC12V,Built-in POE , **Built in Mic (M)model**
IP67 , Metal Housing,IK10 , DC12V,Built-in POE Size: 142x113.4mm Gross Weight: 980g



16. IPD-69513Q81-FP



H.265+ 5MP (Sony) Progressive scan Cmos Sensor (1/2.8"),**Starlight**
8" **32X** High Speed Dome, Optical Lens (4.8~154 mm), 2D/3D DNR, **WDR 120dB**
Triple Stream: 20fps@5MP, 25/30fps@720P,25/30fps@CIF
Smart Motion Detection (Human&Vehicle)
Perimeter Protection:line crossing,intrusion(Human&Vehicle)
Basic Analysis ,Onvif, Profile S, CGI, Mobile Surveillance
Support POE, **SD Slot up to 256GB,Audio: 1/1, Alarm: 1/1**
Up to 250M Smart IR SMD Technology
IP66, 6KV Lightning Protection



2MP

17. IPC-716261B49B-M7



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , Built-in Mic
25fps 1080P(1920 × 1080)
25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68×153mm Gross Weight: 420g




18. IPC-716261B49B-MC



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
DWDR, 2D/3D DNR, / , Mobile Surveillance
Starlight , Full color , Built-in Mic
5 Smart Functions
25fps 1080P(1920 × 1080)
25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs Warm light/ IR Range 30m
Fixed focal lens,3.6mm@F1.6
IP67, Metal Housing, DC12V, Built-in POE
Size: Ø68×153mm Gross Weight: 420g



19. IPC-414211B1A-TML



H.265+ 2MP Network Camera, 1/ 2.8" CMOS Starlight
Smart IR, 120dB WDR, 2D/3D DNR, Built in Mic, Mobile Surveillance
5 Smart Functions
Triple Stream: 25 /30fps@1080P, 25/ 30fps@720P, 25/ 30fps@CIF, Onvif2.6, Profile S, CGI
2pcs Array LED / IR Range 30m 1pcs Strobe Light
2.8 mm Fixed Lens ,**Built in Mic (M)model**
IP67, Metal housing
DC12V, Built-in POE, SD Card Support 128G
Size: 66x175.3mm Gross Weight: 280g



20. IPC-716261T9AR-M



H.265+ 2MP Network Camera, 1/ 2.9" CMOS Sensor
Smart IR, DWDR, 2D/3D DNR, / , Mobile Surveillance
5 Smart Functions
Starlight , Built-in Mic
25fps 1080P(1920 × 1080)
25fps 960P(1280 × 960),25fps 720P(1280 × 720)
2 pcs Array LED / IR Range 30m
Fixed focal lens,2.8mm
IP67, Metal + Plastic Housing, DC12V, Built-in POE
Size: Ø68×153mm Gross Weight: 420g




21. IPC-414211D89C-TML




H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ,Mobile Surveillance
5 Smart Functions
Triple Stream: 25/ 30fps@2MP, Onvif2.6, Profile S, CGI
18pcs SMD LED/ IR range 30m , Strobelight
Fixed 2.8mm Manual Lens
IP67, Metal Housing .IK10,SD Card support 128GB, Built in Mic
DC12V,Built-in POE Size: 62x164mm Gross Weight: 460g




22. IPC-715211U9C-ML



H.265+ 2MP Network Camera, 1/ 2.8" CMOS Starlight
Smart IR, DWDR, 2D/3D DNR, IRCUT Filter, Mobile Surveillance
5 Smart Functions
Dual Stream: 25 @1080P,Onvif2.6, Profile S, CGI
30pcs Array LED / IR Range 40m
Manual Varifocal 2.8-12mm Lens
IP67, Metal housing
DC12V, Built-in POE, Built in Mic
Size: 140x104.7mm Gross Weight: 800g



23. IPC-414211C2C-TA(M)LZ



H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Audio I/O: 1/ 1,
Mobile Surveillance
5 Smart Functions
Triple Stream: 25/ 30fps@2MP, Onvif2.6, Profile S, CGI
4pcs SMD LED/ IR range 50m,**Built in Mic (M)model**
Motorized Lens , 2.7-13.5mm
IP67, Metal Housing
DC12V,Built-in POE

SD Card support 128GB , Built in Mic (M)model
Size: 74.5x218.9mm
Gross Weight: 870g



24. IPC-6A212C3C-Z



2MP Super Starlight (Sony) Cmos Sensor (1/2")
3.6~11 mm @F1.3 Motorized Fast Auto Focus Lens
H.264+(Ultra H.264), H.265+ (Ultra H.265)
60fps@ 2MP(1920*1080), 60fps@ 960P, 60fps@ 720P,
Dual-Core ARM Cortex-A7@900 MHz
Support POE
Triple Stream (Video Bit Rate:11 Kbps~8 Mbps)
IP67, IK10, 6KV Surge Protection



25. IPC-714211E89-TMZ



H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Audio I/O: 1/ 1,
Mobile Surveillance
5 Smart Functions
Triple Stream: 25/ 30fps@2MP, Onvif2.6, Profile S, CGI
4pcs SMD LED/ IR range 40m
Motorized Lens , 2.7-13.5mm
IP67, Metal DC12V,Built-in POE

Size: 142x114.9mm

Gross Weight: 950g



26. IPD-6102Q02-TPZ




2MP (Sony) Progressive scan Cmos Sensor (1/2.9")
25X Optical Lens (5.3~175 mm) (F-Stop F1.6~F5.8)
H.264, H.264+, H.265, H.265+
Dual-Core ARM Cortex-A7@900 MHz
Triple Stream (Code Rate: 128kb-10mb)
Support POE
200~210 m Smart IR SMD Technology
IP67, 3KV Surge Protection



27. IPD-6N25AQ61P-FP



H.265+ 2MP (Sony) Progressive scan Cmos Sensor (1/2.8"),**Starlight**
25X Optical Lens (4.7~118 mm), 2D/3D DNR, WDR 120dB
Triple Stream: 25/30fps@2M, 25/30fps@D1,25/30fps@CIF
Basic Analysis ,Onvif, Profile S, CGI, Mobile Surveillance
Support POE,
SD Slot up to 128GB,Audio: 1/1, Alarm: 1/1
Up to 100M Smart IR SMD Technology
IP66, 6KV Lightning Protection



Joystick

1. IPACS23SD45



نحوه اتصال: Network
دستگاه های قابل کنترل: PTZ/Dome/Bullet
اندازه صفحه نمایش: 5.0
پورت: 1: USB port, 1 HDMI output, 1 DC12V, RJ45
منبع تغذیه: DC12V/2A
پروتکل ارتباطی: ONVIF2.4
تعداد محور: 3
زبان: انگلیسی
دسترسی برای تنظیم: موس و صفحه کلید
سایز محصول: 160*48*26mm
وزن: 1,52KG
قابلیت اتصال: انواع دوربین های تحت شبکه

NVR

1. NVR-6B16P-N53




16CH H.265+ 4K NVR **Bandwidth I/O:160M/256M**
 16CH IP Video input, up to 12MP 16ch 1080P Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 Audio I/O:1/ 1; **Alarm I/O:8 /1**
 HDMI, VGA, **SATA*2(10T HDD)**, 3G/4G, WIFI
 Remote Control , USB Mouse, DC12V/5A Adapter
 Dimension:380(W)x298(D)x45(H)mm



2. NVR-6CB16P-N53





16CH H.265+ 4K NVR **Bandwidth I/O:160M/256M**
 16CH IP Video input, up to 12MP 16ch 1080P Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 SMD , Audio I/O:1/ 1; **Alarm I/O:8 /1**
 HDMI, VGA, **SATA*2(10T HDD)**, 3G/4G, WIFI
 Remote Control , USB Mouse, DC12V/5A Adapter
 Dimension:380 x 305 x 45mm



3. NVR-6CB32P-N53-2H





32CH H.265+ 4K NVR **Bandwidth I/O:256M/256M**
 32CH IP Video input Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
 16ch 1080P Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 Audio I/O:1/ 1; **Alarm I/O:8 /1**
 HDMI, VGA, **SATA*2 (10T HDD)**,3G/4G, WIFI
 Remote Control, USB Mouse,DC12V/5A Adapter
 Dimension:380(W)x305(D)x45(H)mm



4. NVR-6B32EP-W27-4H



32CH H.265+ 4K NVR **Bandwidth I/O :256M/256M**
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
 32ch 8MP Record/4ch 8MP Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 32ch 1080P Record/16ch 1080P Playback
 Audio I/O:1 / 2; **Alarm I/O:16 /4**
 1*RS485 1*HDMI, VGA,**SATA*4(10T HDD)**, 3G/4G,WIFI
 Remote Control , USB Mouse,AC100~240V
 Dimension:440(W)x452(D)x90(H)mm



5. NVR-6B32P-W26-8H



32CH H.265+ 4K NVR **Bandwidth I/O:256M/256M**
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
 32ch 8MP Record/4ch 8MP Playback /32ch 8MP Recording/16ch 1080P Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 Audio I/O:1 / 2;Alarm I/O:16 /4
 2*RS485 2*HDMI,VGA,**SATA*8(10T HDD)**,eSATA*1,3G/4G,WIFI
 Remote Control , USB Mouse,AC100~240V
 Dimension:440(W)x452(D)x90(H)mm



6. NVR-6B64P-W26-8H



64CH H.265+ 4K NVR **Bandwidth I/O:320M/256M**
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
64ch 8MP Record/4ch 8MP Playback
64ch 8MP Recording/16ch 1080P Playback
cloud storage/ cloud upgrade/smart playback
15 Smart functions + **Face detection**
+ Parking detection+ People counting
Audio I/O:1 /2;**Alarm I/O:16 /4;2*RS485**
2*HDMI,VGA,SATA*8(10T HDD),e SATA*1,3G/4G,WIFI
Remote Control , USB Mouse,AC100~240V
Dimension:440(W)×452(D)×90(H)mm

