

Briton

لیست قیمت محصولات AHD برایتون

دی ماه ۱۴۰۳



AHD Camera

UVR

AM Series 1080P_{Lite}

UVR-7TAA04AM-D54G	30,700,000 IR
UVR-7TAA08AM-D58G	41,700,000 IR
UVR-7TCA16AM-D5C6	71,400,000 IR

AH Series 5MP_{Lite}

UVR-7TAA04AH-D14G	49,000,000 IR
UVR-7TAB08AH-D18A	68,500,000 IR
UVR-7TCG16AH-G1C5	140,000,000 IR

H Series 5MP_{Lite}

UVR-7TAA04H-D54G	46,000,000 IR
UVR-7TCA08H-D58G	66,200,000 IR
UVR-7THB16H-D5C8	120,000,000 IR
UVR-7THB16H-G1C5	135,000,000 IR

RQ & Q Series 8MP

UVR-7TCA04RQ-D149	72,000,000 IR
UVR-7TCG08RQ-D189	110,000,000 IR
UVR-7TCG08RQ-G181	CALL

AM Series ^{1080P Lite}

1. UVR-7TAA04AM-D54G



H.265+ 4ch 1080P Lite 15fps 5 in1 UVR
4ch 1080P Lite 15fps Recording/ 4ch Playback
Video I/O: 4/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion , **Deterrence Support**
4ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream Lock Files . Multi Cast



30,700,000 IR

2. UVR-7TAA08AM-D58G



H.265+ 8ch 1080P Lite 12fps 5 in1 UVR
8ch 1080P Lite 12fps Recording/ 8ch Playback
Video I/O: 8/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
4ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream . Lock Files . Multi Cast



41,700,000 IR

3. UVR-7TCA16AM-D5C6



H.265+ 16ch 1080P Lite 12fps 5 in1 UVR
16ch 1080P Lite 12fps Recording/ 16ch Playback
Video I/O: 16/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS, SATA*1(8T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
8ch SMD based on Human and Vehicle
Extra 2CH IP Event Stream . Lock Files . Multi Cast



71,400,000 IR

H Series ^{5MP Lite}

4. UVR-7TAA04H-D54G



H.265+ 4CH 5MP Lite@ 12fps UVR
4ch 5MP Lite@12fps Recording/4ch Playback
4ch 1080P@15fps Recording/4ch Playback
Video I/O:4/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



46,000,000 IR

5. UVR-7TCA08H-D58G



H.265+ 8CH 5MP Lite@ 12fps UVR
8ch 5MP Lite@12fps Recording/8ch Playback
8ch 1080P@15fps Recording/8ch Playback
Video I/O:8/ 1; Audio I/O: 1 /1; HDMI,VGA,CVBS,SATA*1(8 T HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Smart Playback . Cloud Update . Cloud Storage
Line Crossing . Area Intrusion
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



66,200,000 IR

6. UVR-7THB16H-D5C8



H.265+ 16CH 5MP Lite@12fps UVR
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback
Video I/O: 16/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,
SATA*1(8T HDD), 3G/4G, WIFI, PTZ ,USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode
Line Crossing . Area Intrusion . Region Entrance . Region Existing
Fast Moving .Unattended Object . Object Missing .
Face Detection, Cloud Storage & Upgrade .
Smart Playback .Multi Cast. Extra 4CH IP, Dimension:250(W)x230(D)x45(H)mm



120,000,000 IR

7. UVR-7THB16H-G1C5



H.265+ 16CH 5MP Lite@12fps UVR
16ch 5MP Lite@12fps/1080P@15fps/1080P Lite@25fps Recording/16ch Playback
Video I/O: 16/ 1; Audio I/O: 4/ 1; Alarm I/O: 4/ 1,HDMI,VGA,CVBS,
SATA*2(8T HDD), 3G/4G, WIFI, PTZ USB Mouse, DC12V/4A Adapter
Mic Support in Coaxial Mode
Line Crossing . Area Intrusion . Region Entrance
Region Existing Fast Moving . Unattended Object . Object Missing .
Face Detection, Cloud Storage & Upgrade , Smart Playback
Multi Cast , Extra 4CH IP, Dimension:326(W)x243(D)x52(H)mm



135,000,000 IR

AH Series ^{5MP Lite}

8. UVR-7TAA04AH-D14G



H.265+ 4ch 5MP Lite@12fps UVR
4CH 5M Lite@12fps/4M Lite@15fps/1080P@15fps Recording/4ch Playback
Video I/O:4/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing , Area Intrusion ,**Face detection**
SMD based on Human and Vehicle , PP
Extra 2CH IP . Event Stream . Lock Files . Multi Cast



49,000,000 IR

9. UVR-7TAB08AH-D18A



H.265+ 8CH 5MP Lite@ 15fps UVR
8CH 5M Lite@15fps/4M Lite@15fps/1080P@15fps Recording/8ch Playback
Video I/O:8/ 1; Audio I/O: 1/ 1; HDMI,VGA,CVBS,SATA*1(8TB HDD), 3G/4G, WIFI
USB Mouse, DC12V/2A Adapter
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
(Line Crossing , Area Intrusion , Face detection , SMD based on Human and Vehicle , PP) Optional
Extra 2CH IP . Event Stream . Lock Files . Multi Cast,



68,500,000 IR

10. UVR-7TCG16AH-G1C5




H.265+ 16CH 5MP Lite@ 12fps UVR
16ch 5MP Lite@12fps; 16ch 4MP Lite/1080P@15fps Recording/16ch Playback
Video I/O:16/ 1; Audio I/O: 4/ 1; **Alarm I/O: 4/ 1**,HDMI,VGA,CVBS,SATA*2(8TB HDD)
3G/4G, WIFI,USB Mouse, DC12V/4A Adapter /1;**RS485**
Mic Support in Coaxial Mode , **Deterrence Support**
Smart Playback . Cloud Update . Cloud Storage
Line Crossing , Area Intrusion , Face detection , 16CH SMD based on Human and Vehicle , PP
Extra 8CH IP . Event Stream . Lock Files . Multi Cast,



140,000,000 IR

RQ & Q Series ^{8MP}

11. UVR-7TCA04RQ-D149



H.265+ 4CH **8MP** 5 in 1 UVR
 4ch 8MP 7fps Recording / 1ch Playback
 4ch 5MP 12fps Recording / 4ch Playback
 4ch 8MP Lite 15fps Recording / 4ch Playback
 Video I/O: 4/ 1; Audio 4/ 1 HDMI, VGA, CVBS, SATA*1(10T HDD), 3G/4G, WIFI, PTZ
 DC 12V/2A Adaptor Event Stream . Lock Files . Multicast Human Body Detection
 Smart Playback . Cloud Update . Cloud Storage . USB Mouse
 Line Crossing . Area Intrusion . Region Entrance . Region Existing Fast Moving .
 Unattended Object . Object Missing . **Face Detection**
 Extra 4CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



72,000,000 IR

12. UVR-7TCG08RQ-D189



H.265+ 8CH **8MP** 5 in 1 UVR
 8ch 8MP 7fps Recording / 4ch Playback
 8ch 5MP 12fps Recording / 8ch Playback
 4ch 8MP Lite 15fps Recording / 8ch Playback
 Video I/O: 8/ 1; Audio 4/1; **RS485**
 HDMI, VGA, CVBS, SATA*1(10T HDD), 3G/4G, WIFI, PTZ
 Smart Playback . Cloud Update . Cloud Storage
 Line Crossing . Area Intrusion
 Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



110,000,000 IR

13. UVR-7TCG08RQ-G181



H.265+ 8CH **8MP** 5 in 1 UVR
 8ch 8MP 7fps Recording / 4ch Playback
 8ch 5MP 12fps Recording / 8ch Playback
 4ch 8MP Lite 15fps Recording / 8ch Playback
 Video I/O: 8/ 1; Audio 4/1; **Alarm 4/1 ; RS485**
 HDMI, VGA, CVBS, **SATA*2(10T HDD)**, 3G/4G, WIFI, PTZ
 Smart Playback . Cloud Update . Cloud Storage
 Line Crossing . Area Intrusion
 Extra 8CH IP . Event Stream . Lock Files . Multi Cast . HDMI 4K Support



CALL

2MP

Bullet Fixed

UVC-101B1AR-L	12,600,000 IR
UVC-231B1AR-L	12,600,000 IR
UVC-222B1AM-M (3.6mm)	13,700,000 IR
UVC-222B1AM-M(4.0mm)	13,700,000 IR
UVC-222B49M-MC(2.8mm)	17,500,000 IR
UVC-222B49M-MC(3.6mm)	17,500,000 IR
UVC-232B1AR-MC (2.8mm)	17,000,000 IR
UVC-232B1AR-MC(3.6mm)	17,000,000 IR
UVC-78B29 (2.8mm)	16,300,000 IR
UVC-221B59M (2.8mm)	16,300,000 IR
UVC-232B59R-MC(3.6mm)	18,500,000 IR
UVC-232B1AM-MU(2.8mm)	22,500,000 IR
UVC-232B1AM-MU(3.6mm)	22,500,000 IR

Bullet Varifocal

UVC-85C29	20,000,000 IR
-----------	---------------

Bullet Motorized

UVC-64C59Z	42,000,000 IR
------------	---------------

Dome Fixed

UVC-222T45P-MC(2.8mm)	11,500,000 IR
UVC-101T9AQ-L	12,600,000 IR
UVC-231T9AR-L	12,600,000 IR
UVC-222T9AR-M(2.8mm)	15,000,000 IR
UVC-232T9AR-MC(2.8mm)	17,000,000 IR
UVC-64T9A	17,900,000 IR

5MP

Bullet Fixed

UVC-532B1AR-MC(2.8mm)	21,500,000 IR
UVC-532B1AR-MC(3.6mm)	21,500,000 IR
UVC-522B49M-MC(2.8mm)	22,500,000 IR
UVC-522B49M-MC(3.6mm)	22,500,000 IR
UVC-522B59M(2.8mm)	22,600,000 IR
UVC-522B59M-M(2.8mm)	23,100,000 IR
UVC-532B59R-MC(3.6mm)	24,000,000 IR

Bullet Varifocal

UVC-532C59M	29,400,000 IR
-------------	---------------

Dome Fixed

UVC-532T43P-M(2.8mm)	11,650,000 IR
UVC-522T9AR(2.8mm)	16,000,000 IR
UVC-522T9AR-M(2.8mm)	20,300,000 IR
UVC-532T9AR-MC(2.8mm)	21,500,000 IR

1. UVC-101B1AR-L (3.6mm)



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED + 1pcs **White light**
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: 65.5X183mm

Gross Weight: 220g



12,600,000 IR

2. UVC-231B1AR-L (3.6mm)



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
2pcs SMD LED + 1pcs **White light**
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: 65.5X183mm

Gross Weight: 220g



12,600,000 IR

3. UVC-222B1AM-M (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs SMD LED
IR range up to 30M
3.6mm Fixed Lens
Weather Resistance : IP67

Metal Housing
Size: 68X172.3mm

Gross Weight: 400g



13,700,000 IR

4. UVC-222B1AM-M (4.0mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs SMD LED
IR range up to 30M
4.0 mm Fixed Lens
Weather Resistance : IP67

Metal Housing
Size: 68X172.3mm

Gross Weight: 400g



13,700,000 IR

5. UVC-222B49M-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
Warm light range up to 30M
2.8mm Fixed Lens
Weather Resistance : IP67

Metal Housing
Size: 68x153mm

Gross Weight: 300g



17,500,000 IR

6. UVC-222B49M-MC (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, **Built in Mic**
2pcs Warm light
Warm light range up to 30M
3.6mm Fixed Lens
Weather Resistance : IP67

Metal Housing
Size: 68x153mm

Gross Weight: 300g



17,500,000 IR

7. UVC-232B1AR-MC (2.8mm)




1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, Built in Mic
2pcs Warm light
Warm light range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: c68X153mm
Gross Weight: 280g



17,000,000 IR

8. UVC-232B1AR-MC (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, Built in Mic
2pcs Warm light
Warm light range up to 30M
3.6mm Lens, F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: c68X153mm
Gross Weight: 280g



17,000,000 IR

9. UVC-78B29 (2.8mm)



1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
30pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP66

Metal Housing
Size: c67X211mm
Gross Weight: 720g



16,300,000 IR

10. UVC-221B59M (2.8mm)




1/ 2.9" CMOS Sensor
2MP@25/30fps
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
3Pcs SMD LED
IR range up to 50M
2.8mm Lens
Weather Resistance : IP67

Metal Housing
Size: c68X172.3mm
Gross Weight: 400g



16,300,000 IR

11. UVC-232B59R-MC (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Bullet Camera, Built in Mic
2pcs Warm light
Warm light range up to 50M
3.6mm Lens, F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: Ø83.1x73.1x227.6 mm
Gross Weight: 320g



18,500,000 IR

12. UVC-232B1AM-MU (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera, Built in Mic, Dual light
1pcs Warm Light and 1pcs Array LED
IR 30m, warm light 20m
2.8mm Lens, F 1.6
Weather Resistance : IP67

Metal Housing
Size: c68X172.3mm
Gross Weight: 420g



22,500,000 IR

13. UVC-232B1AM-MU (3.6mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
IR Cut, 2D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera, **Built in Mic**, **Dual light**
1pcs Warm Light and 1pcs Array LED
IR 30m , warm light 20m
3.6mm Lens , F 1.6
Weather Resistance : IP67

Metal Housing
Size: $\phi 68 \times 172.3 \text{mm}$

Gross Weight: 420g



22,500,000 IR

14. UVC-222T45P-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera, **Built in Mic**
2pcs Warm light
Warm light range up to 25M
2.8mm Lens, F1.6
Weather Resistance : IP65

Plastic Housing
Size: $\phi 68.8 \times 85.5 \text{mm}$

Gross Weight: 120g



11,500,000 IR

15. UVC-101T9AQ-L (3.6mm)



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs SMD LED + 1pcs **White light**
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: $\phi 102 \times 82.4 \text{(H) mm}$

Gross Weight: 205g



12,600,000 IR

16. UVC-231T9AR-L (3.6mm)



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs SMD LED + 1pcs **White light**
IR range up to 30M
3.6 mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: $\phi 102 \times 82.4 \text{(H) mm}$

Gross Weight: 205g



12,600,000 IR

17. UVC-222T9AR-M (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera, **Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: $\phi 102 \times 82.4 \text{(H) mm}$

Gross Weight: 220g



15,000,000 IR

18. UVC-232T9AR-MC (2.8mm)



1/ 2.9" CMOS Starlight Sensor
2MP@25/30fps
2D DNR, UTC , DWDR
AHD/TVI/CVI/CVBS Output
Full color
Fixed Dome Camera, **Built in Mic**
2pcs Warm light
Warm light range up to 30M
2.8mm Lens, F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: $\phi 102 \times 82.4 \text{(H) mm}$

Gross Weight: 220g



17,000,000 IR

19. UVC-64T9A

(3.6mm)



1/ 2.9" Sony CMOS Sensor
2MP@25/30fps
IRCUT, 2D/3D DNR, UTC, DWDR
AHD/TVI/CVI/CVBS Output
Super Starlight
Fixed Dome Camera
2pcs SMD LED
IR range up to 30M
3.6mm Lens
Weather Resistance : IP67

Metal Housing
Size: c 102X82.4mm
Gross Weight: 350g



17,900,000 IR

20. UVC-85C29



1/ 3" CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Bullet Camera
30pcs SMD LED
IR range up to 50M
2.8-12mm Varifocal Lens
Weather Resistance : IP66

Metal Housing
Size: c 67 x 211 mm
Gross Weight: 720g



20,000,000 IR

22. UVC-64C59Z



1/ 2.8" Sony CMOS Sensor
2MP@25/30
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Super Starlight
Motorized Bullet Camera
3 pcs SMD LED
IR range up to 50M
2.8-12mm Motorized Lens
Weather Resistance : IP67

Metal Housing
Size: Φ235*83×72.7m
Gross Weight: 700g



42,000,000 IR

25. UVC-532B1AR-MC
(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Full color**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs Warm light,
Warm light range up to 30M
2.8mm Lens,F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: c66X175.3mm

Gross Weight: 280g



26. UVC-532B1AR-MC
(3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Full color**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs Warm light,
Warm light range up to 30M
3.6mm Lens,F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: c66X175.3mm

Gross Weight: 280g



27. UVC-522B49M-MC
(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Full color**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs Warm light,
Warm light range up to 30M
2.8mm Lens,F1.6
Weather Resistance : IP67

Metal Housing
Size: c68X153mm

Gross Weight: 300g



28. UVC-522B49M-MC
(3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Full color**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
2pcs Warm light,
Warm light range up to 30M
3.6mm Lens,F1.6
Weather Resistance : IP67

Metal Housing
Size: c68X153mm

Gross Weight: 300g



29. UVC-522B59M
(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera
3pcs SMD LED
IR range up to 50M
2.8mm
Weather Resistance : IP67

Metal Housing
Size: 235×83×72.7mm

Gross Weight: 700g



30. UVC-522B59M-M
(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
3pcs SMD LED
IR range up to 50M
2.8mm , F 1.6
Weather Resistance : IP67

Metal Housing
Size: Ø83.1×73.1×235.7 mm

Gross Weight: 700g



31. UVC-532B59R-MC

(3.6mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Full color**
AHD/TVI/CVI/CVBS Output
Fixed Bullet Camera , **Built in Mic**
3pcs Warm light
Warm light range up to **50M**
3.6mm Lens,F1.6
Weather Resistance : IP67

Metal+Plastic Housing
Size: Ø83.1x73.1x227.6 mm

Gross Weight: 320g



24,000,000 IR

32. UVC-532T43P-M

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps
IR Cut, 2D/3D DNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera , **Built in Mic**
1pcs SMD LED
IR range up to 25M
2.8mm Lens
Weather Resistance : IP65

Plastic Housing
Size: c96.8x85.5mm

Gross Weight: 120g



11,650,000 IR

33. UVC-522T9AR

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera
2pcs SMD LED,
IR range up to 30M
2.8mm Lens,F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: c102X82.4mm

Gross Weight: 205g



16,000,000 IR

34. UVC-522T9AR-M

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
IR Cut, 2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera ,**Built in Mic**
2pcs SMD LED
IR range up to 30M
2.8mm Lens
Weather Resistance : IP67

Metal + Plastic Housing
Size: 102×82.4×72.7mm


Gross Weight: 205g



20,300,000 IR

35. UVC-532T9AR-MC

(2.8mm)



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR ,**Full color**
AHD/TVI/CVI/CVBS Output
Fixed Dome Camera ,**Built in Mic**
2pcs Warm light,
Warm light range up to 30M
2.8mm Lens,F1.6
Weather Resistance : IP67

Metal + Plastic Housing
Size: c102X82.4mm

Gross Weight: 205g



21,500,000 IR

36. UVC-532C59M



1/ 2.7" CMOS Sensor
5MP@20fps(16:9 video output)
2DDNR, UTC,DWDR
AHD/TVI/CVI/CVBS Output
Varifocal Bullet Camera
3pcs SMD LED,
IR range up to 50M
3.3-12mm Varifocal Lens
Weather Resistance : IP67

Metal Housing
Size: c235X83X72.7mm

Gross Weight: 700g



29,400,000 IR