

Briton

لیست قیمت محصولات تحت شبکه برای تون

دی ماه ۱۴۰۳



IP Camera

8 MP

Bullet Fixed

IPC-6A813B2A-TPL

CALL

IPC-6A812B61-TPMSCD

CALL

Dome Fixed

IPC-6A813D90-TPM

CALL

Bullet Motorized

IPC-6A813C37-TPLZ

CALL

Dome Motorized

IPC-6A813E90-TPLZ

CALL

Speed dome

IPD-6108Q04-TPZ

CALL

6 MP

Fisheye

IPC-4A613F01-TPMS

CALL



5MP

Bullet Fixed

IPC-414557B1A-TML

CALL

IPC-414557B1A-TMU

CALL

Dome Fixed

IPC-414557D89C-TML

CALL

Bullet Motorized

IPC-414557C2C-TAMLZ

CALL

IPC-6N513C2C-TP(M)LZ

CALL

Dome Motorized

IPC-414557E89C-TAMLZ

CALL

IPC-6N513E89-TP(M)LZ

CALL

Speed dome

IPD-69513Q81-FP

CALL

2MP

Speed dome

IPD-6N25AQ61P-FP

CALL

NVR

NVR-6CB16P-N53

CALL

NVR-6B32EP-W27-4H

CALL

NVR-6B32P-W26-8H

CALL


NVR-6B64P-W26-8H

CALL



8MP


1. IPC-6A813B2A-TPL



H.265+ 8MP Network Camera 1/ 2.8" Sony CMOS Starlight
2.8 mm Fixed Lens @F2.0
 H.264+(Ultra H.264), H.265+ (Ultra H.265)
 30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP
 Dual-Core ARM Cortex-A17@1.25 GHz + A7@800 MHz
Alarm I/O:1/1,DC12V,Built-in POE
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
 IP67, IK10, 6KV Surge Protection




2. IPC-6A812B61-TPMSCD



Dual 4MP Network Camera 1/ 1.8" Progressive scan CMOS Sensor ,Full color
 4.0mm Fixed Lens @F 1.0 ,Full color Image Performance
 H.264 ,H.264+,H.265 ,H.265+
 Triple Stream **20fps@ 8MP(5120*1440)**
 Dual-Core ARM Cortex-A17@900 GHZ
Red & blue light warning ,Sound warning
 Dual internal Mic , internal Speaker , 140db WDR
Alarm I/O:1/1,Audio I/O:1/1 , DC12V,Built-in POE
 IP67, IK10, 6KV Surge Protection



3. IPC-6A813D90-TPM



H.265+ 8MP Network Camera 1/ 2.8" Sony CMOS Starlight
2.8 mm Fixed Lens @F1.6
 Dual-Core ARM Cortex-A17@1.25 GHz + A7@800 MHz
30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 60fps@ 2MP
Alarm I/O:1/1,DC12V,Built-in POE
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
 IP67, IK10, 6KV Surge Protection



4. IPC-6A813C37-TPLZ



H.265+ 8MP Network Camera 1/ 2.8" Sony CMOS Starlight
 Smart IR,120db WDR,2D/3D DNR ; Audio I/O:1/1, Mobile Surveillance
 2.7~13.5 mm @F1.6 Motorized Fast Auto Focus Lens
IR range 70-80m
 H.264+(Ultra H.264), H.265+ (Ultra H.265)
 30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP
 Dual-Core ARM Cortex-A7@900 MHz
Alarm I/O:1/1,DC12V,Built-in POE
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
 IP67, IK10, 6KV Surge Protection
 Size: 74.5x219mm Gross Weight: 900g



5. IPC-6A813E90-TPLZ



H.265+ 8MP Network Camera 1/ 2.8" Sony CMOS Starlight
 Smart IR,120db WDR,2D/3D DNR ; Audio I/O:1/1, Mobile Surveillance
 2.7~13.5 mm @F1.6 Motorized Fast Auto Focus Lens
IR range 50-60m
 30fps@ 8MP(3840*2160), 30fps@ 6MP, 30fps@ 4MP, 60fps@ 2MP
 Dual-Core ARM Cortex-A7@900 MHz
Alarm I/O:1/1,DC12V,Built-in POE
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)
 IP67, IK10, 6KV Surge Protection
 Size: Φ142x113.4 mm Gross Weight: 935g



6. IPD-6108Q04-TPZ




H.265+ **8MP** (Sony) Progressive scan Cmos Sensor (1/1.8"), **Super Starlight 38X** High Speed Dome, Optical Lens (6~228 mm), 2D/3D DNR, **WDR 120dB**
Triple Stream: **30fps@8MP(3840*2160)**, 30fps@6MP,, 30fps@2MP
Dual-Core ARM Cortex A7@900MHz
Smart Motion Detection (Human & Vehicle)
250~260 m Smart IR SMD
Support POE, **SD Slot up to 256GB, Audio: 1/1, Alarm: 1/1**
IP67, 6KV Surge Protection



6MP

7. IPC-4A613F01-TPMS



H.265+ 6MP Network Camera 1/ 1.2.5" Progressive scan CMOS Sensor
1.68 mm Fixed Lens @F2.0
Fisheye 6MP (2560*2560 @30Fps)
4CH@ePTZ (640*480 @30Fps)
Fisheye+ Panoramic+3CH@ePTZ (2560*2560+ 1920*1080+640*480 @30Fps)
Fisheye + 4CH @ ePTZ (2560*2560+640*480@30 Fps)
Panoramic + 4CH @ ePTZ (2560*2560+640*480@30 Fps)
Panoramic (2560*2560 @30Fps)
Built in Mic , internal Speaker , 120 db WDR
Alarm I/O:1/1, Audio I/O:1/1 , DC12V,Built-in POE
6 Streams Transmission
IP67, IK10, 6KV Surge Protection



5MP

8. IPC-414557B1A-TML



H.265+ 5MP Network Camera 1/ 2.7" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
2pcs Array LED/ IR range 30m,Strobe light
Fixed focal Lens , 2.8mm @ F1.6
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , Built in Mic
IP67 , Metal Housing
Size: 68x172.3mm
Gross Weight: 500g



9. IPC-414557B1A-TMU



H.265+ 5MP Network Camera 1/ 2.7" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
Dual light:2pcs Array LED*2pcs Warm light/ IR range 30m
Fixed focal lens , 3.6mm
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , Built in Mic
IP67 , Metal Housing
Size: 68x172.3mm
Gross Weight: 490g



10. IPC-414557D89C-TML



H.265+ 5MP Network Camera 1/ 2.7" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance
5 Smart Functions + Face Detection
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
3pcs Array LED/ IR range 30m,**Strobe light**
Fixed focal Lens , 2.8mm @ F1.6
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , **Built in Mic**
IP67 ,IK10 , Metal Housing
Size: Φ112x87.5mm
Gross Weight: 510g



11. IPC-414557C2C-TAMLZ



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR,120db WDR,2D/3D DNR ; **Audio I/O:1/1** ,Mobile Surveillance
5 Smart Functions +**Face detection**
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
4pcs Array LED/ **IR range 50m,Strobe light**
Motorized Lens , 2.7-13.5mm
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , **Built in Mic**
IP67 , Metal Housing
Size: 86x215.3mm
Gross Weight: 875g



12. IPC-6N513C2C-TP(M)LZ



H.265+ 5MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR ; Audio I/O:1/1 , Mobile Surveillance
16 Smart Functions include **Face Detection + People counting**
Triple Stream: 30fps@5MP, 25fps@720P,25/30fps@CIF
Onvif, Profile S, CGI
4pcs Array LED/ **IR range 70m,Strobe light**
Motorized Lens , 2.7-13.5mm
SD Card Support 128GB, Alarm I/O:1/1,DC12V,Built-in POE , **Built in Mic (M) Series**
IP67 , Metal Housing , Reset Button
Size: 74.5x219mm
Gross Weight: 900g




13. IPC-414557E89C-TAMLZ



H.265+ 5MP Network Camera 1/ 2.7" CMOS
Smart IR,120db WDR,2D/3D DNR ; **Audio I/O:1/1** ,Mobile Surveillance
5 Smart Functions +**Face detection**
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P
Onvif, Profile S, CGI
4pcs Array LED/ **IR range 50m,Strobe light**
Motorized Lens , 2.7-13.5mm
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , **Built in Mic**
IP67 , Metal Housing
Size: Φ142x113.4 mm
Gross Weight: 935g



14. IPC-6N513E89C-TP(M)LZ



H.265+ 5MP Network Camera 1/ 2.8" CMOS Starlight
Smart IR,120db WDR,2D/3D DNR , Mobile Surveillance
16 Smart Functions include **Face detection+People Counting**
Triple Stream: 25/30fps@5MP, 25/30fps@1080P,25/30fps@720P,25/30fps@CIF
Onvif2.6, Profile S, CGI
4pcs Array LED/ **IR range 50m,Strobe light**
Motorized Lens , 2.7-13.5mm ,F1.6
SD Card Support 128GB, Alarm I/O:1/1,DC12V,Built-in POE , Built in Mic (M) Series
IP67 , Metal Housing,IK10 , DC12V,Built-in POE Size: 142x113.4mm Gross Weight: 980g



15. IPD-69513Q81-FP



H.265+ 5MP (Sony) Progressive scan Cmos Sensor (1/2.8"),**Starlight**
32X High Speed Dome, Optical Lens (4.8~154 mm), 2D/3D DNR, **WDR 120dB**
Triple Stream: 20fps@5MP, 25/30fps@720P,25/30fps@CIF
Smart Motion Detection (Human & Vehicle)
Perimeter Protection : line crossing , intrusion(Human & Vehicle)
Basic Analysis ,Onvif, Profile S, CGI, Mobile Surveillance
Support POE, **SD Slot up to 256GB,Audio: 1/1, Alarm: 1/1**
Up to 250M Smart IR SMD Technology
IP66, 6KV Lightning Protection



2MP

16. IPD-6N25AQ61P-FP



H.265+ 2MP (Sony) Progressive scan Cmos Sensor (1/2.8"),**Starlight**
25X High Speed Dome, **Optical Lens (4.7~118 mm)**, 2D/3D DNR, **WDR 120dB**
Triple Stream: 25/30fps@2M, 25/30fps@D1,25/30fps@CIF
Basic Analysis ,Onvif, Profile S, CGI,
Mobile Surveillance ,Support POE,
SD Slot up to 128GB
Audio: 1/1, Alarm: 1/1
Up to 100M Smart IR SMD Technology
IP66, 6KV Lightning Protection



NVR

1. NVR-6CB16P-N53



16CH H.265+ 4K NVR **Bandwidth I/O:160M/256M**
 16CH IP Video input, up to 12MP 16ch 1080P Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 SMD , Audio I/O:1/ 1; **Alarm I/O:8 /1**
 HDMI, VGA, **SATA*2(10T HDD)**, 3G/4G, WIFI
 Remote Control , USB Mouse, DC12V/5A Adapter
 Dimension:380 x 305 x 45mm



2. NVR-6B32EP-W27-4H




32CH H.265+ 4K NVR **Bandwidth I/O :256M/256M**
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
 32ch 8MP Record/4ch 8MP Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 32ch 1080P Record/16ch 1080P Playback
 Audio I/O:1/ 2; **Alarm I/O:16 /4**
 1*RS485 1*HDMI, VGA,**SATA*4(10T HDD)**, 3G/4G,WIFI
 Remote Control , USB Mouse,AC100~240V
 Dimension:440(W)×452(D)×90(H)mm



3. NVR-6B32P-W26-8H



32CH H.265+ 4K NVR **Bandwidth I/O:256M/256M**
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
 32ch 8MP Record/4ch 8MP Playback /32ch 8MP Recording/16ch 1080P Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + Face detection + Parking detection+ People counting
 Audio I/O:1/ 2;**Alarm I/O:16 /4**
2*RS485 2*HDMI,VGA,SATA*8(10T HDD),eSATA*1,3G/4G,WIFI
 Remote Control , USB Mouse,AC100~240V
 Dimension:440(W)×452(D)×90(H)mm



4. NVR-6B64P-W26-8H



64CH H.265+ 4K NVR **Bandwidth I/O:320M/256M**
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
 64ch 8MP Record/4ch 8MP Playback
 64ch 8MP Recording/16ch 1080P Playback
 cloud storage/ cloud upgrade/smart playback
 15 Smart functions + **Face detection**
 + Parking detection+ People counting
 Audio I/O:1/ 2;**Alarm I/O:16 /4;2*RS485**
2*HDMI,VGA,SATA*8(10T HDD),eSATA*1,3G/4G,WIFI
 Remote Control , USB Mouse,AC100~240V
 Dimension:440(W)×452(D)×90(H)mm

