

لیست قیمت محصولات کلارنت شهریور ماه ۱۴۰۴



CCP-MD6530E-WA

Price: 19.950.000

1/2.8" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation
Built in MIC



CCP-MD6230E-WCA

Price: 16.200.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation
Built in MIC, Support Audio In TVI & CVI Mode



CCP-MD6230FN-WCA

Price: 12.200.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 Sunny LED
OSD Menu by UTC(output 4-in-1)
Plastic Case
Built in MIC, Support Audio In TVI & CVI Mode



CCP-MD6230F-WCA

Price: 12.200.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 Sunny LED
OSD Menu by UTC(output 4-in-1)
Plastic Case
Built in MIC, Support Audio In TVI & CVI Mode



CCP-MD6230D-WCA

Price: 16.200.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation
Built in MIC, Support Audio In TVI & CVI Mode



CCP-MD6530D-WA

Price: 19.950.000

1/2.8" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation
Built in MIC



CCP-MD6230D-DCA

Price: 17.100.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight & 40m IR Length, 3 Dual EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation
Built in MIC, Support Audio In TVI & CVI Mode



CCP-MD6530D-DA

Price: 20.700.000

1/2.8" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight & 40m IR Length, 3 Dual EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation
Built in MIC



CCP-MD6230B-WCA

Price: 12.200.000

1/2.9" Starlight CMOS Image Sensor

2.8mm F1.2 Starlight Fixed lens

1920(H) × 1080(V) Resolution, **2.0MP**

DWDR, 3DNR, AWB, BLC

30m Warmlight Length, 2 Power LED

OSD Menu by UTC(output 4-in-1)

Plastic Case

Built in MIC, Support Audio In TVI & CVI Mode



CCP-SB6240M-W

Price: 14.800.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Sunny LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6540M-WA

Price: 19.100.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Sunny LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-SB6230V-W

Price: 14.500.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 4 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6230V-WA

Price: 15.200.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 4 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-SB6240V-W

Price: 14.800.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 6 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6550L-W

Price: 18.250.000

1/2.5" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
3072(H) × 1728(V) Resolution, 5.0MP 16:9
DWDR, 3DNR, AWB, BLC
50m Warmlight Length, 6 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6250L-W

Price: 14.950.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
50m Warmlight Length, 8 EXIR LED
New LED - Wide Angel Clear Distance Illumination
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6550L-WA

Price: 19.350.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
50m Warmlight Length, 8 EXIR LED
New LED - Wide Angel Clear Distance Illumination
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-SB6230G-D

Price: 15.850.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight & 40m IR Length, 3 Dual EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6530G-DA

Price: 20.400.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight & 40m IR Length, 3 Dual EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-SB6230G-W

Price: 15.200.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6530G-WA

Price: 19.950.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-MB6240X-W

Price: 14.900.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-MB6540X-WA

Price: 19.600.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-MB6240Y-W

Price: 14.500.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-MB6540Y-WA

Price: 18.800.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-LB6550Z-WA

Price: 22.000.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
50m Warmlight Length, 4 Power EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-LB6550Z-DA

Price: 22.800.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
50m Warmlight & 60m IR Length
4 Power EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-LB6550T-WA

Price: 22.200.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
50m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-LB6550T-W

Price: 21.300.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
50m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-MB6240H-W

Price: 15.200.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-MB6540H-WA

Price: 19.750.000

1/2.8" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case
Built in MIC



CCP-MB6240HP-WCA

Price: 12.200.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Plastic Case
Built in MIC, Support Audio In TVI & CVI Mode



CCP-MB6240HP-WL

Price: 11.650.000

1/2.9" Starlight CMOS Image Sensor
3.6mm Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Plastic Case



CCP-SB6240J-WL

Price: 12.000.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
40m Warmlight Length, 4 Power LED
OSD Menu by UTC(output 4-in-1)
IP66, Plastic Case



CCP-SB6230N-WL

Price: 13.900.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 4 Sunny LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6230R-WL

Price: 11.650.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC
30m Warmlight Length, 4 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Plastic Case

4CH H.265 **5MP-Lite & 1080P** XVR
 4CH Camera + 1CH IP Camera
 Preview Capacity: 4*5MP-Lite@20fps
 Code Capacity: 4*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps
 4CH Playback
 Support SMD (Human/Vehicle Classification For 4CH)
 Support Face Detection (With Special Firmware Upgrade / Not At The Same Time As SMD)
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analog, AHD, CVI, TVI, IP)
 HDMI & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 1/1 CH Audio In/Out - 2*USB 2.0 - 1*10/100 Mbps LAN Interface
 P2P support, Onvif 2.4
 IOS/Android FARA VIEW App - Adaptive Iran & International Servers



CXP-5604-ZN1

Price: 35.900.000



4CH H.265 **4K-Lite & Real 5MP** XVR
 4CH Camera + 2CH IP Camera
 Preview Capacity: 4*(8MP-Lite@15fps/5MP@12fps)
 Code Capacity: 4*(8MP-Lite@15fps/5MP@12fps/1080P@25fps)
 4CH Playback (2CH@15fps + 2CH@1fps)
 Support SMD (Human/Vehicle Classification For 4CH)
 Support Face Detection
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analog, AHD, CVI, TVI, IP)
HDMI 4K & VGA Video Simultaneous Output
 Analog Video Output (BNC)
 1 SATA HDD Up to 10TB
 4/1 CH Audio In/Out, 2*USB
 1*10/100 Mbps LAN Interface, RS-485 Port
 P2P support, Onvif
 IOS-Android FARA VIEW App - Adaptive Iran & International Servers



CXP-7604-ZHN1/4KL

Price: 52.600.000



HISILICON
 NEW AI Chipset

4CH H.265 **Real 5MP** XVR
 4CH Camera (Analog & IP)
 Preview Capacity: 4*5MP@12fps
 Code Capacity: 4*(5MP@12/4MP@15/1080P@25)fps
 4CH Playback
 Support SMD (Human/Vehicle Clasification For 4CH)
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analog,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
 P2P support, Onvif
 IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

**SMD
AOC**

CXP-7604-ZN1/4KL

Price: 50.950.000



8CH H.265 **5MP-Lite** XVR
 8CH Camera + 2CH IP Camera
 Preview Capacity: 8*5MP-Lite@12fps
 Code Capacity: 8*(5MP-Lite@12/1080P-Lite@25)fps
 8CH Playback
 Support SMD (Human/Vehicle Clasification For 8CH)
 Support Face Detection
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analog,AHD,CVI,TVI,IP)
 HDMI & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
 P2P support, Onvif
 IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

 **SMD
AOC**

CXP-5608-ZU1

Price: 46.800.000



New Ultra Model

8CH H.265 **5MP-Lite** XVR
 8CH Camera + 2CH IP Camera
 Preview Capacity: 8*5MP-Lite@12fps
 Code Capacity: 8*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps
 8CH Playback
 Support SMD (Human/Vehicle Classification For 8CH)
 Support Face Detection (With Special Firmware Upgrade / Not At The Same Time As SMD)
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analoge,AHD,CVI,TVI,IP)
 HDMI & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
 P2P support, Onvif
 IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5608-ZN1

Price: 46.800.000



توقف تولید

8CH H.265 **5MP-Lite & 1080P** XVR
 8CH Camera + 4CH IP Camera
 Preview Capacity: 8*5MP-Lite@20fps
 Code Capacity: 8*(5MP-Lite@12/1080P@15)fps
 8CH Playback (4CH@12fps + 4CH@1fps)
 Support SMD (Human/Vehicle Classification For 8CH)
 Support Face Detection
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analoge,AHD,CVI,TVI,IP)
 HDMI & VGA Video Simultaneous Output
 Analoge Video Output (BNC)
 1 SATA HDD Up to 10TB
4/1 CH Audio In/Out, 2*USB
 1*10/100 Mbps LAN Interface, RS-485 Port
 P2P support, Onvif
 IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5708-ZHN1

Price: 53.100.000



NEW AI Chipset

8CH H.265 **4K-Lite & Real 5MP** XVR
 8CH Camera + 2CH IP Camera
 Preview Capacity: 8*(4K-Lite@15/5MP@12)fps
 Code Capacity: 8*(4K-Lite@9/5MP@8/4MP@10/1080P@20)fps
 8CH Playback
 Support SMD (Human/Vehicle Clasification For 8CH)
 Support Face Detection (With Special Firmware Upgarde / Not At The Same Time As SMD)
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analogue,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
 P2P support, Onvif
 IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7608-ZN1/4KL

Price: 74.700.000



8CH H.265 **4K-Lite & Real 5MP** XVR
 8CH Camera + 4CH IP Camera
 Preview Capacity: 8*(4K-Lite@15/5MP@12)fps
 Code Capacity: 8*(4K-Lite@9/5MP@8)fps
 8CH Playback
 Support SMD (Human/Vehicle Clasification For 8CH)
 Support Face Detection
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analogue,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
 Analoge Video Output (BNC)
 1 SATA HDD Up to 10TB
 4/1 CH Audio In/Out, 2*USB
 1*10/100 Mbps LAN Interface, RS-485 Port
 P2P support, Onvif
 IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7608-ZHN1/4KL

Price: 74.700.000



 **HISILICON**
 NEW AI Chipset

16CH H.265 **5MP-Lite** XVR
 16CH Camera + 4CH IP Camera
 Preview Capacity: 16*5MP-Lite@12fps
 Code Capacity: 16*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps
 16CH Playback
 Support SMD (Human/Vehicle Clasification For 16CH)
 Support Face Detection (With Special Firmware Upgarde / Not At The Same Time As SMD)
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analoge,AHD,CVI,TVI,IP)
 HDMI & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
 P2P support, Onvif
 IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5616-ZN1

Price: 80.200.000



16CH H.265 **4K-Lite & Real 5MP** XVR
 16CH Camera + 4CH IP Camera
 Preview Capacity: 16*(4K-Lite@15fps/5MP@12fps)
 Code Capacity: 16*(4K-Lite@9fps/5MP@8fps)
 16CH Playback
 Support SMD (Human/Vehicle Clasification For 16CH)
 Support Face Detection
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 4/1 CH Audio In/Out, 2*USB
 1*10/100 Mbps LAN Interface, RS-485 Port
 P2P support, Onvif 2.4
 IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7616-ZHN1/4KL

Price: 113.200.000



HISILICON
 NEW AI Chipset

16CH H.265 **5MP-Lite** XVR
 16CH Camera + 4CH IP Camera
 Preview Capacity: 16*5MP-Lite@12fps
 Code Capacity: 16*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps
 16CH Playback
 Support SMD (Human/Vehicle Clasification For 16CH)
 Support Face Detection
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analogue,AHD,CVI,TVI,IP)
 HDMI & VGA Video Simultaneous Output
 1 SATA HDD Up to 10TB
 1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
 P2P support, Onvif
 IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5716-ZHN1

Price: 82.600.000



HISILICON
 NEW AI Chipset

32CH H.265 **4K-Lite & Real 5MP** XVR
 32CH Camera (Analog & IP)
 Preview Capacity: 32*(4K-Lite@15fps/5MP@12fps)
 Code Capacity: 32*(4K-Lite@7fps/5MP@6fps)
 16CH Playback
 Support SMD (Human/Vehicle Clasification For 16CH)
 Support Face Detection
 Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
 Pentabrid (Analogue,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
 Analoge Video Output (BNC)
 2 SATA - Each HDD Up to 10TB
 4/1 CH Audio In/Out, 4/1 Alarm In/Out, 2*USB
 1*10/100/1000 Mbps LAN Interface, RS-485 Port
 P2P support, Onvif 2.4
 IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7632-ZHN2/4KL

Price: 248.250.000



HISILICON
 NEW AI Chipset

**3 Output Relay Box
1 Output With 12VDC
1 RJ45 Web Management Interface
Compatible With Z Series XVR
12VDC Input (Without Adaptor)**

این محصول به وسیله کابل شبکه به رکوردرهای سری زد متصل شده و با تعریف و پیاده سازی سناریوهای مختلف از طریق رکوردر و منوی خود محصول می توان از قابلیت های تشخیص انسان و خودروی دوربین و رکوردر در جهت فعال سازی خروجی محصول استفاده نمود تا خروجی تجهیزاتی از قبیل آذیر، تلفن کننده، فرمان به دزدگیر و سایر تجهیزات فرمان پذیر را فعل کرد و از دوربین ها به عنوان دتکتور محیطی با هوش مصنوعی و دقت بسیار بالا استفاده نمود

FARA AI ALARM BOX

Price: 18.250.000



FARA - Z MODEM

**4G/LTE USB Modem
ASR1803S chip platform
Built-in antenna / Plug and Play
FDD-LTE 150Mbps & TDD-LTE 130Mbps Cat4
Compatible With Z Series XVR & NVR
Power : 5~18V/0.5~1A
89.6mm*28.6mm*13mm / 50g**

این مودم با دستگاه های سری زد همخوانی کامل داشته و از طریق اتصال یو اس بی، اینترنت پر سرعت را در اختیار کاربر می گذارد. به وسیله این مودم می توان از قابلیت ارسال اس ام اس دستگاه های سری زد استفاده نمود

FZ4000G

Price: 23.200.000

