








Simaran





ترتيب	مدل	مشخصات فنی	تصویر	قیمت (ریال)
IR 4in1 Camera				
1	SM-AR828HZ	1/2.5" SONY CMOS Sensor 8MP (3840*2160) @15fps/5MP@20fps/4MP@30fps high resolution TVI/AHD/CVI/CVBS 2.8-12mm motorized lens/ 0.01LUX/50m IR 12VDC/ICR/COC,3DNR,BLC,AWB,D&N,Sharpness,Smart IR, Metal IP67		92,125,000
2	SM-IR348VF	1/2.9" SONY CMOS Sensor 2MP (1920*1080) TVI/AHD/CVI/CVBS 2.8-12 mm VF lens /0.01LUX/40m IR 12VDC/ICR/D-WDR,Brightness, Sharpness, Shutter,AGC,BLC,D&N,Defog,3DNR,AWB,UTC Metal IP66		31,625,000
Light Explorer CV - Warm Light Full Color Camera				
3	SM-CVH539A	1/2.5" CMOS Sensor/ 5MP (2592*1944) @20fps TVI& AHD& CVI - 24/7 full color imaging 3.6mm Fixed lens / 0.3LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		35,500,000
4	SM-CVH553A	1/2.5" CMOS Sensor/ 5MP (2592*1944) @20fps TVI& AHD& CVI - 24/7 full color imaging 3.6mm Fixed lens / 0.3LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		38,750,000
5	SM-CVM553A	1/2.9" CMOS Sensor/ 5MPLite (2592*1944) @20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		37,000,000
6	SM-CVM540A	1/2.9" CMOS Sensor/ 5MPLite (2592*1944) @20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		31,125,000
7	SM-CVM541A	1/2.9" CMOS Sensor/ 5MPLite (2592*1944) @20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		30,500,000
8	SM-CVM552A	1/2.9" CMOS Sensor/ 5MPLite (2592*1944) @20fps TVI& AHD& CVI& CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		36,250,000




















9	SM-CVM518A	1/2.9" CMOS Sensor/ 5MP Lite (2592*1944) @20fps TVI& AHD& CVI& CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/ 20m white light view distance DC12V/COC/DWDR, 1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic	 Full-Color  	25,000,000
10	SM-CV217XA	1/3" CMOS Sensor/ 2MP (1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/ 20~30m white light view distance 12VDC/DWDR, 1CH built-in MIC BLC,3DNR,AWB,UTC, Plastic	 Full-Color  	21,250,000










Dual Light- HD Camera

11	NEW SM-5HD2362DMA	1/2.7" Progressive CMOS 5MP (2608*1960) @20fps/4MP-2MP@25fps TVI,AHD,CVI,CVBS/3.6mm fixed Lens/DWDR/0.04 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 2D DNR,AWB, HLC, BLC,AGC,COC 12VDC/ 1CH built-in MIC IP67 (Metal)	 Dual Light  	56,000,000
12	NEW SM-5HD1282DMA	1/2.7" Progressive CMOS 5MP (2608*1960) @20fps/4MP-2MP@25fps TVI,AHD,CVI,CVBS/2.8mm fixed Lens/DWDR/0.04 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 2D DNR,AWB, HLC, BLC,AGC,COC 12VDC/ 1CH built-in MIC IP67 (Metal)	 Dual Light  	56,000,000
13	NEW SM-2HD2362DMA	1/3" Progressive CMOS 2MP (1920*1080) @25fps TVI,AHD,CVI,CVBS/3.6mm fixed Lens/DWDR/0.08 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 3D DNR,AWB, HLC, BLC,AGC,COC 12VDC/ 1CH built-in MIC IP67 (Metal)	 Dual Light  	44,500,000
14	NEW SM-2HD1282DMA	1/3" Progressive CMOS 2MP (1920*1080) @25fps TVI,AHD,CVI,CVBS/2.8mm fixed Lens/DWDR/0.08 Lux@ F1.0 , Dual light camera 20m Warm light view distance; 30m IR view distance 3D DNR,AWB, HLC, BLC,AGC,COC 12VDC/ 1CH built-in MIC IP67 (Metal)	 Dual Light  	44,500,000

XVR

15	NEW SM-5GXN401L	4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite, 1080P, 720P real time preview & Record 5MP Lite@20fps, 4MP Lite/1080P/720P@25fps(PAL)/ 1CH(Up to 5CH) IP Up to 2MP(25fps) H.265 /HDD SATAx1, up to 10TB/HDMI/USB 2.0 x 2/ P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 20/32 Mbps incoming/Outgoing bandwidth Support coaxial audio- Without web Motion Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 AOC 	65,000,000
16	NEW SM-5GXN801L	8CH TVI&AHD&CVI: 5MP Lite@12fps, 1080N/720P real time preview & Record 5MP Lite@12fps, 1080N/720P:25fps/ 2CH(Up to 10CH) IP Up to 2MP(25fps) H.265/HDD SATAx1, up to 10TB HDMI/USB2.0*2/P2P(ScamVU)/DDNS/ Network RJ45 100Mbps x 1 - Max 40/56 Mbps incoming/Outgoing bandwidth Support coaxial audio- Without web Motion Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 AOC 	72,500,000

17	<p>NEW</p> <p>SM-5GXN1601L</p>	<p>16CH TVI&AHD&CVI: 5MP Lite@12fps, 4MP Lite@15fps, 1080N,720P real time preview & Record 5MP Lite@6fps, 4MP Lite@9fps, 1080N@15fps, 720P@18fps/ 4CH IP Up to 2MP(25fps) H.265/HDD SATAx1, up to 10TB HDMI/USB2.0*2/P2P(ScamVU)/DDNS/ Network RJ45 100Mbps x 1 - Max 16/64 Mbps incoming/Outgoing bandwidth Support coaxial audio Motion Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>  	<p>132,500,000</p>
18	<p>NEW</p> <p>SM-5GXN441M-AI</p> 	<p>4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite,1080P,720P real time preview & Record 5MP Lite@20fps, 4MP Lite,1080P,720P@25fps(PAL)/ 2CH(Up to 6CH) IP Up to 5MP(25fps) H.265/ 4 in-1 out Audio /HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1 /P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 24/48 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>  <p>SMD</p>  	<p>100,250,000</p>
19	<p>NEW</p> <p>SM-5GXN841M-AI</p> 	<p>8CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite,1080P,720P real time preview & Record 5MP Lite@15fps, 4MP Lite@20fps,1080P@18fps,720P@25fps(PAL)/ 4CH (Up to 12CH) IP Up to 5MP(25fps) H.265/ 4 in-1 out Audio /HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 x 2/ RS485 x 1 /P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 48/64 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>  <p>SMD</p>  	<p>130,000,000</p>
20	<p>NEW</p> <p>SM-5GXN1641M-AI</p> 	<p>16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite,1080P,720P real time preview & Record 5MP Lite@12fps, 4MP Lite,1080P@15fps, 720P@25fps/ 4CH (Up to 20CH) IP Up to 5MP(25fps) H.265/ 4 in-1 out Audio/ HDD SATAx1, up to 10TB/ 4K HDMI-VGA/ USB 2.0*1, USB 3.0*1 /RS485 x 1 /P2P(ScamVU)/DDNS/Network RJ45 1000Mbps x 1 - Max 80/96 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions :Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection/Face Recognition قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>  <p>SMD</p>   <p>Face Recognition</p> 	<p>297,500,000</p>
21	<p>NEW</p> <p>SM-4KGXN441H-AI</p> 	<p>4CH TVI&AHD&CVI: 4K@15fps; 5MP@20fps; 4MP,1080P,720P real time preview & Record 4K@7fps, 5MP@12fps, 4MP@15fps, 1080P@25fps/ 2CH (Up to 6CH) IP Up to 4K(25fps) H.265/ 4 in-1 out Audio/ 4 in-1 out Alarm HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS USB 2.0 x 2/ RS485 x 1/ P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 36/48 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions : Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p>  <p>SMD</p>  	<p>140,000,000</p>

22	<p>NEW</p> <p>SM-4KGXN841H-AI</p> 	<p>8CH TVI&AHD&CVI: 4K@15fps; 5MP@20fps; 4MP,1080P,720P real time preview & Record 4K@10fps, 5MP@14fps, 4MP@18fps, 1080P@25fps/ 4CH (Up to 12CH) IP Up to 4K(25fps) H.265/ 8 in-1 out Audio/ 8 in-1 out Alarm HDD SATAx1, up to 10TB/ 4K HDMI-VGA-CVBS/ USB 2.0 x 2/ RS485 x 1 / P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 96/96 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection/Face Recognition</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p> <p>SMD</p>  <p>Face Recognition</p>	272,500,000
23	<p>NEW</p> <p>SM-4KGXN16162H-AI</p> 	<p>16CH TVI&AHD&CVI: 4K@15fps; 5MP@20fps; 4MP,1080P,720P real time preview & Record 4K@10fps, 5MP@15fps, 4MP@20fps, 1080P@25fps/ 8CH(Up to 24CH) IP Up to 4K(25fps) H.265/ 16 in-1 out Audio/ 16 in-1 out Alarm/ HDD SATAx2, up to 10TB, ESATAx 1 / 4K HDMI-VGA-CVBS/USB 3.0x1; USB2.0x1 /RS485 x 1/ P2P(ScamVU)/DDNS/Network RJ45 100Mbps x 1 - Max 144/192 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions:Perimeter Intrusion Detection/Line Crossing Detection/Human&Vehicle Detection/Face Recognition</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p> <p>SMD</p>  <p>Face Recognition</p>	555,000,000
24	<p>NEW</p> <p>SM-5GXN3284P-AI</p> 	<p>32CH TVI&AHD&CVI: 5MP Lite@20fps; 4MP Lite,1080P,720P real time preview & Record 5MP Lite@15fps, 4MP Lite@20fps, 1080P@15fps, 720P@25fps/ 4CH(Up to 32CH) IP Up to 5MP(25fps) H.265/ 8 in-1 out Audio/ 16 in-1 out Alarm/ HDD SATAx 4, up to 10TB, ESATAx 1 / 4K HDMI-VGA-CVBS/USB 3.0x1; USB2.0x1 /RS485 x 1/ P2P(ScamVU)/DDNS/Network RJ45 1000Mbps x 2 - Max 128/216 Mbps incoming/Outgoing bandwidth Support coaxial audio AI Functions: Perimeter Intrusion Detection/Line Crossing Detection/Region Detection/sound Detection/Human&Vehicle Detection/Face Recognition/video tempering</p> <p>قابلیت پشتیبانی از تقویم شمسی و منوی فارسی</p>	<p>AOC</p> <p>SMD</p>  <p>Face Recognition</p>	652,500,000
کابل				
25	<p>SM-C750M</p>	<p>کابل کواکسیال ترکیبی RG59 + POWER مغزی مس 0/7 شیلد آلومینیوم مسوار 0/12 برق 20 رشته 0/2 آلومینیوم مسوار 1 عدد فرقره 300 متری</p>		Call
26	<p>SM-C48U64P</p>	<p>کابل شبکه UTP CAT6 مغزی مس 0/48 8 رشته (هر رشته 1 عدد مفتول) - (4Pairs) 1 عدد حلقه 305 متری</p>		575,000
27	<p>SM-A52U64P</p>	<p>کابل شبکه UTP CAT6 مغزی آلومینیوم مسوار 0/52 8 رشته (هر رشته 1 عدد مفتول) - (4Pairs) 1 عدد حلقه 305 متری</p>		250,000