


































# Tiandy

پاییز ۱۴۰۴

No.	Series	Model	Picture	Description	Price
<b>2MP Cameras</b>					
<b>Bullet</b>					
1	AK	TC-C321N Spec:I3/E/Y/2.8mm		2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.04Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	23,000,000
2	Spark	TC-C32QN Spec:I3/E/Y/2.8mm/V5		2MP(1920x1080@30fps),1/2.9"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	25,500,000
3	Spark	TC-C32RN Spec:I5/E/Y/QX/2.8mm/v4.2		2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 7.5W, POE 802.3af, MAX 8.5W,IP67	85,840,000
4	Super Lite	TC-C32QN Spec:I5W/E/Y/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	56,000,000
5	Super Lite	TC-C32GN Spec:I5/E/Y/C/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in, POE 802.3af, MAX 7W,IP67	39,410,000
6	Super Lite	TC-C32GN Spec:I5/E/Y/C/4mm/V4.1		2MP(1920x1080@30fps),1/2.8"CMOS,4mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	38,350,000
7	Super Lite	TC C32GN Spec:I5/E/Y/C/2.8mm/V4.1		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	39,410,000
8	Super Lite	TC-C32GN Spec:I5/E/Y/C/SD/2.8mm/V4.1		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	40,500,000
9	Lite	TC-C32WP Spec:I5/E/Y/2.8mm/V4.0		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	39,630,000
10	Lite	TC-C32WP Spec:W/E/Y/2.8MM/V4.1		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	55,520,000











• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.

11	Lite	TC-C32WP Spec:15W/E/Y/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	59,000,000
12	Lite	TC-C32WP Spec:15W/E/Y/M/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	61,500,000
13	Eco Pro	TC-C32WS Spec:15/E/Y/C/H/2.8mm/V4.0		1920x1080@30fps;1/2.8" CMOS;2.8mm;120dB;0.002Lux;50m IR;Metal+Plastic;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 6W, POE 802.3af, MAX 8W;IP67	44,400,000
14	Eco Pro	TC-C32WS Spec:15/E/Y/C/H/4mm/V4.0		1920x1080@30fps;1/2.8" CMOS;4mm;120dB;0.002Lux;50m IR;Metal+Plastic;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 6W, POE 802.3af, MAX 8W;IP67	44,400,000
15	Eco Pro	TC-C32US Spec:18/A/E/Y/M/H/2.7-13.5mm/V4.0		2MP(1920x1080@30fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,80m IR Metal Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 8W, POE 802.3af, MAX 9W,IP67	85,300,000
16	Pro	TC-C32UP Spec:W/E/Y/M/H/4MM/V4.0		1920x1080@60fps;1/2.8" CMOS;4mm;120dB;0.0004Lux;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 8.5W, POE 802.3af, MAX 9.5W;IP67	150,600,000
17	Pro	TC-C32WS Spec:15/E/Y/M/2.8mm/V4.0		1920x1080@30fps;1/2.8" CMOS;2.8mm;120dB;0.001Lux;50m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 6W, POE 802.3af, MAX 7W;IP67	Call
18	Pro	TC-C32WS Spec:15/E/Y/M/4MM/V4.0		1920x1080@30fps;1/2.8" CMOS;4mm;120dB;0.002Lux;50m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 6.5W, POE 802.3af, MAX 8W;IP67	Call
19	Pro	TC-C32TS Spec:18/A/E/Y/M/H/2.7-13.5MM/V4.0		1920x1080@30fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.001Lux;80m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 8.5W, POE 802.3af, MAX 10W;IP67	115,500,000
20	Pro	TC-C32TS Spec:18/A/E/Y/M/H/2.7-13.5mm/V4.1		1920x1080@30fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.002Lux;80m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 9W, POE 802.3af, MAX 10W;IP67	115,500,000
<p>• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.</p>					

Turret					
21	AK	TC-C320N Spec:13/E/Y/2.8mm		2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.04Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W	23,000,000
22	Spark	TC-C32XN Spec:13/E/Y/2.8mm/V5		2MP(1920x1080@30fps),1/2.9"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W	25,500,000
23	Super Lite	TC-C32HN Spec:13/E/Y/C/2.8mm/V4.1		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP66	34,500,000
24	Super Lite	TC-C32HN Spec:13/E/Y/C/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 7W,IP66	34,500,000
25	Lite	TC-C32XN Spec:13W/E/Y/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR+15m Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12±25%,POE,802.3af	53,500,000
26	Lite	TC-C32XP Spec:13/E/Y/M/Z/2.8MM/V4.0		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,30m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	41,500,000
27	Lite	TC-C32XP Spec:W/E/Y/2.8MM/V4.0		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 8W,IP66	41,500,000
28	Lite	TC-C32XP Spec:W/E/Y/2.8mm/V4.1		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	40,000,000
29	Lite	TC-C32XP Spec:13W/E/Y/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	52,500,000
30	Lite	TC-C32XP Spec:13W/E/Y/M/2.8mm/V4.2		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	53,980,000
Dome					
31	Lite	TC-C32KN Spec:13/E/Y/C/2.8mm/V4.3		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Reset button,DC12V±25%, MAX 4.5W, POE 802.3af, MAX 5W,IP66	65,700,000
32	Eco Pro	TC-C32MS Spec:13/A/E/Y/M/C/H/2.7-13.5mm/V4.0		2MP(1920x1080@30fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 7W, POE 802.3af, MAX 8W,IP66,IK10	79,950,000
33	Eco Pro	TC-C32KS Spec:13/E/Y/C/H/2.8mm/V4.0		1920x1080@30fps;1/2.8" CMOS;2.8mm;120dB;0.002Lux;30m IR;Metal+Plastic;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 6W, POE 802.3af, MAX 8W;IP66, IK10	Call

• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.

34	Pro	TC-C32MS Spec:15/A/E/Y/M/H/2.7-13.5mm/V4.0		1920x1080@30fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.001Lux;50m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 7.5W, POE 802.3af, MAX 9W;IP67, IK10	111,500,000
35	Pro	TC-C32MP Spec:15/A/E/Y/M/H/2.7-13.5MM/V4.0		1920x1080@30fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.0004Lux;50m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 7.5W, POE 802.3af, MAX 9W;IP67, IK10	151,500,000
<b>4MP Cameras</b>					
<b>Bullet</b>					
36	Spark	TC-C34QN Spec:13/E/Y/2.8mm/V5.0		4MP(2560x1440@20fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	56,000,000
37	Spark	TC-C34QN Spec:13/E/Y/4mm/V5.0		4MP(2560x1440@20fps),1/3"CMOS,4mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67	56,000,000
38	Super Lite	TC-C34QN Spec:15W/E/Y/2.8mm/V4.2		4MP(2688x1520@25fps),1/2.9"CMOS,2.8mm Fixed Lens,120dB WDR,0.02Lux,50m IR+15m Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%,MAX 6.5W; POE 802.3af,MAX 7W,IP67	71,000,000
39	Super Lite	TC-C34QN Spec:15W/E/Y/4mm/V4.2		4MP(2688x1520@25fps),1/2.8"CMOS,4mm Fixed Lens,True WDR,0.02Lux,50m IR+15m Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%,POE,802.3af,IP67	71,000,000
40	Super Lite	TC-C34QN Spec:15/E/Y/C/2.8mm/V4.2		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 7W,IP67	73,000,000
41	Super Lite	TC-C34GS Spec:15/E/Y/C/2.8mm/V4.0		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	73,350,000
42	Super Lite	TC-C34GS Spec:15/E/Y/C/SD/2.8mm/V4.2		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,POE 802.3af, MAX 7W,IP67	73,550,000
43	Super Lite	TC-C34UN Spec:18/A/E/Y/2.8-12mm/V4.2		4MP(2688x1520@25fps),1/2.9"CMOS,2.8-12mm Varifocal Lens,120dB WDR,0.02Lux,80m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP67	118,500,000
44	Lite	TC-C34WS Spec:15W/E/Y/2.8mm/V4.2		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	90,100,000
45	Lite	TC-C34WS Spec:15W/E/Y/M/2.8mm/V4.2		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	95,600,000
46	Lite	TC-C34UP Spec:W/E/Y/M/4MM/V4.0		2592x1520@25fp,2304x1296@30fps;1/1.8" CMOS;4mm;120dB;0.0004Lux;Metal Housing;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 8W, POE 802.3af, MAX 9W;IP67	Call
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					
<b>Turret</b>					












47	Spark	TC-C34XN Spec: I3/E/Y/2.8mm/V5.0		4MP(2660x1440@20fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W	55,000,000
48	Super Lite	TC-C34XN Spec: I3W/E/Y/2.8mm/V4.2		4MP(2688x1520@25fps),1/2.9"CMOS,2.8mm Fixed Lens,120 dB WDR,0.02Lux,30m IR+15m Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%,MAX 6.5W, POE 802.3af,MAX 7W	68,800,000
49	Super Lite	TC-C34HN Spec: I3/E/Y/C/2.8mm/V4.2		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP66	55,000,000
50	Super Lite	TC-C34HS Spec: I3/E/Y/C/2.8mm/V4.0		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W,IP66	56,100,000
51	Super Lite	TC-C34HS Spec: I3/E/Y/C/SD/2.8mm/V4.0		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,POE 802.3af, MAX 7W,IP66	56,200,000
52	Super Lite	TC-C34HS Spec: I3/E/Y/C/SD/2.8mm/V4.2		4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,POE 802.3af, MAX 7W,IP66	56,200,000
53	Lite	TC-C34XS Spec: I3W/E/Y/2.8mm/V4.2		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	59,600,000
54	Lite	TC-C34XS Spec: I3W/E/Y/M/2.8mm/V4.2		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +Warmlight Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	69,000,000
55	Lite	TC-C34XP Spec: W/E/Y/M/2.8mm/V4.0		4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.004Lux,Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	79,200,000
<b>Dome</b>					
56	Lite	TC-C34KS Spec: I3/E/Y/2.8mm/V4.0		4MP(2560x1440@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 5W, POE 802.3af, MAX 6W,IP67,IK10	69,500,000
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					












SMP Cameras					
Bullet					
57	Lite	TC-C35WS Spec:IS/E/Y/2.8mm/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	85,500,000
58	Lite	TC-C35WS Spec:IS/E/Y/M/2.8mm/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	87,500,000
59	Lite	TC-C35WS Spec:IS/E/Y/M/4mm/V4.0		5MP(2592X1944@20fps),1/2.8"CMOS,4mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP67	87,500,000
60	Eco Pro	TC-C35WS Spec:IS/E/Y/C/H/4mm/V4.0		2592x1944@20fps, 2304x1296@30fps;1/2.8" CMOS,4mm;120dB;0.002Lux;50m IR;Metal+Plastic;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W;IP67	89,800,000
61	Pro	TC-C35UV Spec:W/E/Y/M/S/4mm		5MP(3072x1728@30fps),1/1.8"CMOS,4mm Fixed Lens,120dB WDR,0.0001Lux,15m Warmlight Metal Housing,BLC/HLC/AGC/3D DNR, Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%;Max. 8W; PoE:IEEE 802.3af;Max. 9W;IP67	201,000,000
62	Eco Pro	TC-C35US Spec:IS/A/E/Y/M/C/H/2.7-13.5mm/V4.0		5MP(2592x1944@20fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,80m IR Metal Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 8W, POE 802.3af, MAX 9W,IP67	152,700,000
63	Pro	TC-C35US Spec:IS/A/E/Y/M/S/H/2.7-13.5mm/V4.0		2880x1620@30fps, 1920x1080@60fps;1/2.7" CMOS;2.7-13.5mm;120dB;0.002Lux;80m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 9.5W, POE 802.3af, MAX 10.5W;IP67	Call
64	Pro	TC-C35US Spec:LK/IS/W/E/Y/M/S/2.8MM/V5.0		5MP(2880x1620@30fps),1/2.7"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +15m Warmlight Metal Housing,BLC/HLC/AGC/3D DNR, Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%;Max. 8W; PoE:IEEE 802.3af;Max. 9W;IP67	184,700,000
65	Pro	TC-C35TS Spec:IS/A/E/Y/M/H/2.7-13.5mm/V4.1		2880x1620@30fps, 1920x1080@60fps;1/2.7" CMOS;2.7-13.5mm;120dB;0.002Lux;80m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 9.5W, POE 802.3af, MAX 10.5W;IP67	Call
66	Pro	TC-C35TP Spec:IS/A/E/Y/M/H/2.7-13.5MM/V4.0		2592x1944@30fps, 1920x1080@60fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.001Lux;80m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 8.5W, POE 802.3af, MAX 10W;IP67	186,000,000
67	Pro	TC-C35LP Spec:IS/W/A/E/Y/M/H/2.7-13.5mm/V4.0		3072x1728@30fps, 1920x1080@60fps;1/1.8" CMOS;2.7-13.5mm;120dB;0.0004Lux;80m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 14W, POE 802.3af, MAX 15.5W;IP67	Call
Turret					
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					














68	Lite	TC-C35XS Spec:13/E/Y/2.8mm/V4.0		5MP(2592x1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66	84,600,000
<b>Dome</b>					
69	Lite	TC-C35KS Spec:13/E/Y/2.8MM/V4.0		5MP(2592x1944@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W,IP66,IK10	62,300,000
70	Lite	TC-C35MS Spec:13/A/E/Y/M/2.8-12MM		5MP(2592x1944@20fps),1/2.8"CMOS,2.8-12mm Varifocal Lens,120dB WDR,0.002Lux,30m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 7W, POE 802.3af, MAX 8W,IP66,IK10	89,500,000
71	Eco Pro	TC-C35KS Spec:13/E/Y/C/H/2.8mm/V4.0		2592x1944@20fps, 2304x1296@30fps;1/2.8" CMOS;2.8mm;120dB;0.002Lux;30m IR;Metal+Plastic;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 6W, POE 802.3af, MAX 7W;IP66, IK10	65,600,000
72	Eco Pro	TC-C35MS Spec:13/A/E/Y/M/C/H/2.7-13.5mm/V4.0		2592x1944@20fps, 2304x1296@30fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.002Lux;30m IR;Metal+Plastic;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 7W, POE 802.3af, MAX 8W;IP66, IK10	98,500,000
73	Pro	TC-C35KS Spec:13/E/Y/M/H/2.8MM/V4.0		2592x1944@30fps, 1920x1080@60fps;1/2.8" CMOS;2.8mm;120dB;0.002Lux;30m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 5W, POE 802.3af, MAX 6W;IP67, IK10	Call
74	Pro	TC-C35KS Spec:13/E/Y/M/H/2.8mm/V4.1		2880x1620@30fps, 1920x1080@60fps;1/2.7" CMOS;2.8mm;120dB;0.002Lux;30m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 6W, POE 802.3af, MAX 7.5W;IP66, IK10	Call
75	Pro	TC-C35MS Spec:15/A/E/Y/M/H/2.7-13.5MM/V4.0		2592x1944@30fps, 1920x1080@60fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.001Lux;50m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 7.5W, POE 802.3af, MAX 9W;IP67, IK10	121,000,000
76	Pro	TC-C35MS Spec:15/A/E/Y/M/H/2.7-13.5mm/V4.1		2880x1620@30fps, 1920x1080@60fps;1/2.7" CMOS;2.7-13.5mm;120dB;0.002Lux;50m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 8W, POE 802.3af, MAX 9W;IP66, IK10	121,000,000
77	Pro	TC-C35MS Spec:13/A/E/Y/M/S/H/2.7-13.5mm/V4.0		2880x1620@30fps, 1920x1080@60fps;1/2.7" CMOS;2.7-13.5mm;120dB;0.002Lux;30m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 8W, POE 802.3af, MAX 9W;IP66, IK10	114,250,000
78	Pro	TC-C35MP Spec:15/A/E/Y/M/H/2.7-13.5MM/V4.0		2592x1944@30fps, 1920x1080@60fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.001Lux;50m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 7.5W, POE 802.3af, MAX 9W;IP67, IK10	186,000,000
79	Pro	TC-C35PS Spec:13/E/Y/M/H/2.8mm/V4.2		2880x1620@30fps, 1920x1080@60fps;1/2.7" CMOS;2.8mm;120dB;0.002Lux;30m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 6.5W, POE 802.3af, MAX 8W;IP66	144,000,000










• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.

8MP Cameras					
<b>Bullet</b>					
80	Lite	TC-C38WS Spec:15/E/Y/M/2.8mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 8W,IP67	128,000,000
81	Lite	TC-C38WS Spec:15/E/Y/M/4mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,4mm Fixed Lens,120dB WDR,0.002Lux,50m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 8W,IP67	128,000,000
82	Pro	TC-C38WS Spec:15/E/Y/M/H/2.8mm/V4.0		3840x2160@30fps;1/2.8" CMOS;2.8mm;120dB;0.002Lux;50m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 6.5W, POE 802.3af, MAX 8W;IP67	160,500,000
83	Pro	TC-C38TS Spec:18/A/E/Y/M/H/2.7-13.5MM		3840x2160@30fps, 2560x1440@30fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.003Lux;80m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 8.5W, POE 802.3af, MAX 10W;IP67	238,000,000
84	Pro	TC-C382V Spec:W/E/Y/S/H/2.8mm		1/2.7" CMOS,F1.0,Fixed Iris, 120dB,0.0001Lux,Up to 4640x1728@25fps,512 GB SD card slot,Built-in Mic&Speaker,audio I/O 1/1,alarm I/O 1/1,IP67,ONVIF Profile S/T/G/M,Support tripwire,perimeter+Human/Vehicle Classification	280,000,000
85	Ultra	TC-A38N5 Spec:0/A/10-47MM		3840x2160@30fps;1/1.8" CMOS;10-47mm;120dB;0.01Lux;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;AC24V±25%, MAX 17W;IP67	Call
<b>Turret</b>					
86	Lite	TC-C38XS Spec:13/E/Y/M/2.8mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,DC12V±25%, MAX 7W, POE 802.3af, MAX 8.5W,IP66	98,500,000
<b>Dome</b>					
87	Lite	TC-C38KS Spec:13/E/Y/M/2.8mm/V4.0		8MP(3840x2160@20fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7.5W,IP66,IK10	96,700,000
88	Pro	TC-C38KS Spec:13/E/Y/M/H/2.8mm/V4.0		3840x2160@20fps, 2560x1440@30fps;1/2.8" CMOS;2.8mm;120dB;0.003Lux;30m IR;Full Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 5W, POE 802.3af, MAX 6W;IP67, IK10	114,000,000
89	Pro	TC-C38MS Spec:15/A/E/Y/M/H/2.7-13.5mm/V4.0		3840x2160@30fps;1/2.8" CMOS;2.7-13.5mm;120dB;0.002Lux;50m IR;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 8W, POE 802.3af, MAX 9W;IP66, IK10	258,000,000
<b>Wifi Cameras</b>					
90	Lite- Wifi	TC-C32WN Spec:15/Y/WIFI/4mm/V4.0		2MP(1920x1080@30fps),1/2.8"CMOS,4mm Fixed Lens,DWDR,0.02Lux,50m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W,IP67	56,900,000
91	Lite- Wifi	TC-C32KN Spec:13/Y/WIFI/2.8mm		2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W,IP66,IK10	53,000,000
92	Lite- Wifi	TC-H334S Spec:15W/C/WIFI/4mm/4.1		4MP(2304x1906@25fps),1/2.8"CMOS,4mm Fixed Lens,DWDR,0.02Lux,50m IR +Warmlight Metal+Plastic Housing,HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 12W,IP66	91,800,000
• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					
<b>Fisheye Cameras</b>					

93	pro	TC-C35VN Spec:I3/E/Y/1.4mm/V4.2		2592x1944@30fps;1/2.7" CMOS;1.4mm;120dB;0.02Lux;30m IR;Metal+Plastic;BLC/3D DNR/HLC/AGC;DC12V±25%, MAX 8.5W, POE 802.3at, MAX 9.5W;	189,000,000
94	Pro	TC-A32P6 Spec:E/4MM		1920x1080@30fps;1/2.8" CMOS;4mm;120dB;0.002Lux;Metal Housing;BLC/3D DNR/HLC/AGC/Corridor Format;DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W;IP66	Call
95	Ultra	TC-NC1261		4000x3072@20fps, 3072x3072@30fps;1/1.7" CMOS;1.98mm;120dB;0.05Lux;20m IR;Metal Housing;BLC/3D DNR/HLC/AGC;DC12V±10%/AC24V±25%/PoE, MAX 6.5W, 8.6W/11.7W(MAX);IP66, IK10	Call
<b>PTZ Cameras</b>					
96	Pro	TC-H324S Spec:23X/I/E/C/V3.0		2MP(1920X1080@30fps),1/2.8"CMOS,5mm~115mm,True WDR,0.001Lux,150m IR ADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 7.3W, POE 802.3at, MAX18.5W,IP66	443,700,000
97	Pro	TC-H324S Spec:23X/I/E/V3.0		2MP(1920X1080@30fps),1/2.8"CMOS,5mm~115mm,True WDR,0.001Lux,150m IR ADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 7.3W, POE 802.3at, MAX17.6W,IP66	463,250,000
98	Pro	TC-H324S Spec:25X/I/E/V3.0		2MP(1920X1080@30fps),1/2.8"CMOS,4.8mm~120mm,140dB WDR,0.001Lux,150m IR,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 9W(IR off),IP66	603,000,000
99	Pro	TC-H326S Spec:33X/I/E+/A/V3.0		2MP(1920X1080@30fps),1/2.8"CMOS,4.6mm~152mm,True WDR,0.001Lux,200m IR ADC 12,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 14W, POE 802.3at, MAX24W,IP66	682,000,000
100	Pro	TC-H326S Spec:33X/I/E++/A		1920x1080@60fps;1/2.8" CMOS;4.6mm~152mm;True WDR;0.001Lux;200m IR;ADC 12;BLC/3D DNR/HLC/AGC/EIS;AC24V±25% / DC 24V±10% / POE+(IEEE802.3 af), 22W(IR OFF), 44.2W(IR ON);IP66	699,000,000
101	Pro	TC-H354S Spec:23X/I/E/V3.0		5MP(2880x1620@30fps),1/2.8"CMOS,5mm~115mm,Digital WDR,0.001Lux,150m IR ADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 8.1W, POE 802.3at, MAX19.4W,IP66	667,000,000
102	Pro	TC-H356S Spec:30X/I/E++/A/V3.0		2880x1620@30fps;1/2.8" CMOS;4.7mm~141mm;True WDR;0.001Lux;200m IR;ADC 12;BLC/3D DNR/HLC/AGC;AC24V±25% / POE+(IEEE802.3 bt), 20W(IR OFF), 38W(IR ON);IP66	Call
103	Pro	TC-H366V Spec:4MP/25X/IW/E/A/2.8mm		6MP(3840x1568@30fps,2560x1440@25fps),1/1.8"CMOS,4.8mm~120mm,Digital WDR+120dB WDR,0.0001Lux,0.001LUX,150m IR +30m Warmlight Metal+Plastic Housing,BLC/HLC/AGC/3D DNR,One Audio I/O,2 Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button, AC24V±25%/DC24V±10%; PoE IEEE 802.3bt,29W(IR OFF) ; 55W(IR ON), IP66	935,000,000
* به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					

104	Ultra	TC-H348M Spec:63X/IL/E++/A		2560x1440@30fps;1/1.8" CMOS;5.7-359mm;True WDR;0.001Lux;300m IR;ADC 12;BLC/3D DNR/HLC/AGC/EIS;DC36V±25%/PoE++(IEEE802.3 bt), 37W (IR OFF), 62W (IR ON );IP66	2,500,000,000
105	Ultra	TC-H388M Spec:44X/IL/A		3840x2160@30fps;1/1.8" CMOS;5.7mm~250mm;True WDR;0.001Lux;300m IR;ADC 12;BLC/3D DNR/HLC/AGC/EIS;DC36V±25%/PoE++(IEEE802.3 bt), 37W (IR OFF), 62W (IR ON );IP66	2,500,000,000
106	Ultra	TC-H389M Spec:44X/LW/P/A		1920x1080@60fps+4096x1800@30fps;1/1.8" CMOS;6mm~264mm;140dB;0.0008Lux + 0.01Lux(P);;BLC/3D DNR/HLC/AGC;AC24V±15%, 85W(IR OFF), 110W(IR ON);IP66	Call
107	Ultra	TC-H358M Spec:44X/IT/A		3072x1728@30fps,2560x1440@60fps+384x288@30;1/1.8" CMOS+Vanadium Oxide Uncooled Focal Plane Arrays;6mm~264mm;140dB;0.001Lux;300m IR;;BLC/3D DNR/HLC/AGC;AC24V±25%,DC24V±10%, 30W(IR OFF), 69.96W(IR ON);IP66	Call
<b>NVRs</b>					
108	AK	TC-R3104 Spec:I/B/P4/C/Eu/L/S		4-CH POE,1 HDD-6TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 5MP/4MP/3MP/1080P/UJGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x5MP, 1x4MP,1x3MP,2x1080P,5x720P,HDMI*1	56,000,000
109	AK	TC-R3108 Spec:I/B/P8/C/EU/L/S		8-CH POE,1 HDD-6TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UJGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,8x720P,HDMI*1	69,800,000
110	Spark	TC-R3105 Spec:I/B/L/S/Eu		5-CH,1 HDD-8TB,Bandwidth: 50Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UJGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	52,400,000
111	Spark	TC-R3105 Spec:I/B/L/S		5-CH,1 HDD-8TB,Bandwidth: 50Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UJGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	51,080,000
112	Spark	TC-R3105 Spec:I/B/P/L/S		5-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UJGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	57,690,000
113	Spark	TC-R3110 Spec:I/B/L/S/Eu		10-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UJGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,10x720P,10x4CIF,HDMI*1	68,300,000
114	Spark	TC-R3110 Spec:I/B/P8/L/S		10-CH (8POE),1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UJGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,8x720P,HDMI*1	71,400,000
* به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					

115	Lite-N	TC-R3105 Spec:I/B/L		5-CH,1 HDD-8TB,Bandwidth: 50Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1	39,000,000
116	Lite-N	TC R3105 Spec:I/B/P/L		5-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	62,000,000
117	Lite- Wifi	TC-R3105 Spec:I/B/W		5-CH,1 HDD-10TB,Bandwidth: 50Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	72,300,000
118	Lite-N	TC-R3108 Spec:I/B/V2.0		8-CH,1 HDD-6TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1	49,500,000
119	Lite-N	TC-R3110 Spec:I/B/L/V1.1		10-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 2x4MP,2x3MP,4x1080P,8x720P,10x4CIF,HDMI*1 + VGA *1	65,700,000
120	Lite-N	TC-R3110 Spec:I/B/V3.0		10-CH,1 HDD-10TB,Bandwidth: 60Mbps/ 40Mbps Recording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,10x720P,10x4CIF,HDMI*1 + VGA *1	75,100,000
121	Lite-N	TC-R3120 Spec:I/B/V3.0		20-CH,1 HDD-10TB,Bandwidth: 80Mbps/ 80Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x8MP,1x6MP,1x5MP, 2x4MP,2x3MP,4x1080P,8x720P,20x4CIF,HDMI*1 + VGA *1	137,470,000
122	Lite-K	TC-R3120 Spec:I/B/K/V3.0		20-CH,1 HDD-10TB,Bandwidth: 80Mbps/ 80Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	198,800,000
123	Lite-K	TC-R3220 Spec:I/B/K/V3.0		20-CH,2 HDD-10TB,Bandwidth: 120Mbps/ 100Mbps Recording Resolution: 8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 1x8MP,1x6MP,1x5MP, 2x4MP,2x3MP,4x1080P,8x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	242,500,000
124	Lite-K	TC-R3220 Spec:I/B/K/V3.1		20-CH,2 HDD-10TB,Bandwidth: 160Mbps/ 64Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	242,500,000
125	Lite-K	TC-R3220 Spec:I/B/P16/K/V3.0		20-CH (16POE),2 HDD-10TB,Bandwidth: 160Mbps/ 64Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	276,500,000
126	Lite-K	TC-R3232 Spec:I/B/K/V3.1		32-CH,2 HDD-10TB,Bandwidth: 160Mbps/ 48Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,32x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1	274,500,000
127	Lite-K	TC-R3432 Spec:I/B/K/V3.1		32-CH,4 HDD-10TB,Bandwidth: 160Mbps/ 48Mbps Recording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,32x4CIF,HDMI*1 + VGA *1,Audio I/O	390,000,000
* به موارد فوق 10٪ ارزش افزوده اضافه می گردد.					

128	Pro	TC-R3240 Spec:I/B/N/H/V4.0		40-CH;2 HDD-10TB;Bandwidth: 400Mbps/ 400Mbps Recording Resolution: 16MP/12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x16MP,3x12MP,4x8MP,4x6MP,6x5MP, 8x4MP,9x3MP,16x1080P,32x720P,40x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:16/4	425,700,000
129	Pro	TC-R3440 Spec:I/B/N/V4.0		40-CH;4 HDD-10TB;400Mbps/ 400Mbps Recording Resolution:16MP/12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/ QCIF Decoding: 2x16MP,3x12MP,4x8MP,4x6MP,6x5MP, 8x4MP,9x3MP,16x1080P,16x720P;1 HDMI/1 VGA;1.5U	Call
130	Pro	TC-R3440 Spec:I/B/N/H/C/V4.0		40-CH;4 HDD-10TB;Bandwidth: 400Mbps/ 400Mbps Recording Resolution: 16MP/12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x16MP, 3x12MP,4x8MP,4x6MP,6x5MP, 8x4MP,9x3MP,16x1080P,32x720P,40x4CIF,HDMI*1 + VGA *1,Audio I/O	480,950,000
131	Pro	TC-R3440 Spec:I/B/P16/H		40-CH;4 HDD-10TB;320Mbps/ 320Mbps;Recording Resolution:12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 3x12MP,4x8MP,4x6MP,6x5MP,8x4MP,9x3MP,16x1080P,32x720P,40x4CIF;1 HDMI/1 VGA;1.5U	Call
132	Pro	TC-R3840 Spec:I/B/N/V4.0		40-CH;8 HDD-10TB;640Mbps/ 320Mbps;Recording Resolution:16MP/12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/ QCIF Decoding: 3x16MP, 4x12MP, 6x8MP, 8x6MP, 9x5MP, 12x4MP,16x3MP, 24x1080P, 40x720P, 40x4CIF;2 HDMI/2 VGA;2U	705,000,000
135	Pro	TC-R3880 Spec:I/B/N/V4.0		80-CH;8 HDD-10TB;640Mbps/ 320Mbps;Recording Resolution:16MP/12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/ QCIF Decoding: 3x16MP, 4x12MP, 6x8MP, 8x6MP, 9x5MP, 12x4MP,16x3MP, 24x1080P, 40x720P, 40x4CIF;2 HDMI/2 VGA;2U	Call
136	Pro	TC-R3880 Spec:E/B/N/V4.0		80-CH;8 HDD-10TB;640Mbps/ 320Mbps;Recording Resolution:16MP/12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/ QCIF Decoding: 3x16MP, 4x12MP, 6x8MP, 8x6MP, 9x5MP, 12x4MP,16x3MP, 24x1080P, 40x720P, 40x4CIF;2 HDMI/2 VGA;2U	Call
133	Pro	TC-R3840 Spec:E/B/R/N		40-CH;8 HDD-10TB;320Mbps/ 320Mbps;Recording Resolution:12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 3x12MP,4x8MP,4x6MP,6x5MP,8x4MP,9x3MP,16x1080P,32x720P,64x4CIF;2 HDMI/1 VGA;2U	1,250,000,000
134	Pro	TC-R31680 Spec:E/B/N		80-CH;16 HDD-10TB;320Mbps/ 320Mbps;Recording Resolution:12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF Decoding: 2x12MP,4x8MP,4x6MP,5x5MP,8x4MP,9x3MP,16x1080P,32x720P,64x4CIF;2 HDMI/2 VGA;3U	Call

• به موارد فوق 10٪ ارزش افزوده اضافه می گردد.